



EVERCOAT[®]

Marine

TRIED AND TRUE SOLUTIONS

Evercoat Marine offers tried and true solutions for all your customers' recreational boat and PWC repair needs.



PRODUCT CATALOG

EVERCOAT[®]

Marine

Evercoat Marine offers tried and true solutions for all your customers' recreational boat repair needs. Help them keep their boats ship shape with products that repair virtually every surface, resist impact and help protect against moisture damage.

Polyester Resin & Accessories	2,3
Premium Marine Resin	
Laminating Resin	
Boat Yard Resin	
Everfix Epoxy Resin	
Liquid Hardener	
Cream Hardener	
Acetone	
Coloring Agents	
Spreaders	
Fiberglass Fabrics	4
Fiberglass Cloth (6 oz.)	
Fiberglass Tape (6 oz.)	
Fiberglass Mat (1.5 oz.)	
Fiberglass Woven Roving (24 oz.)	
Bulk Fiberglass Cloth (6 oz.)	
Bulk Fiberglass Tape (6 oz.)	
Bulk Fiberglass Mat (1.5 oz.)	
Repair Kits	5
Polyester Resin Fiberglass Repair Kit	
Polyester Resin Gel Repair Kit	
Inflatable Boat and Raft Repair Kit	
Gel Coat Repair Kits	
Gel Coat Repair	6
One Step Finish Premium Gel-Kote™	
Premium Gel-Kote™	
PVA Mold Release Agent	
Polyester Gel Paste	
Gel Coat Scratch Patch	
Specialty Products	7
Skid-No-More® Surface Coating	
Sealant Foam	
Two-Part Pourable Foam-It	
Polyester Filler	7,8
Formula 27®	
White Marine Filler	
Rage® Ultra	
Lite Weight®	
Polyester Glazing Putty	
Everglass®	
Kitty Hair®	
White Star™ Filler	
Rage®	
HomeFix	9
HomeFix® Universal Repair Filler	
HomeFix® Super Strength Universal Fiberglass Resin	
Additional Supplies	10
Paint Mixing Cups and Lids	
Masking Products	
Mixing Boards	

Premium Marine Resin



The perfect no-run, no-sag polyester finish resin for marine repairs. This resin cures tack-free. May be used on softwoods and fiberglass. Ideal repair for hulls, decks, cabins and tanks. Repairs all boat surfaces, resists impacts and protects against moisture damage. Use with Sea-Glass™ fiberglass fabrics and Evercoat® Coloring Agents. Liquid hardener included.

Part Number	Size	Case Qty.	Case Wt. (lb)
100552	1 Gallon	4	42
100553	1 Quart	6	17
100554	1 Pint	6	10

Substrates Include:



Laminating Resin



Quality laminating resin for base coat applications. This resin is not a finish coat. It is an air-inhibited resin that remains tacky to hold fiberglass fabric in place on vertical surfaces. Does not require sanding between coats. Excellent for saturating fiberglass fabrics. Liquid hardener is included.

Part Number	Size	Case Qty.	Case Wt. (lb)
100560	1 Gallon	4	42
100561	1 Quart	6	17

Substrates Include:



Boat Yard Resin



A general purpose, economy finish resin. Has excellent wetability and good strength. Use with Sea-Glass™ fiberglass fabrics. Can be tinted with Evercoat® Coloring Agents. This resin can be used on most wood, fiberglass and some metal. Liquid hardener is included.

Part Number	Size	Case Qty.	Case Wt. (lb)
100517	1 Gallon	4	42
100518	1 Quart	12	34
100519	5 Gallon Pail	1	51

Substrates Include:



Everfix Epoxy Resin



An all-purpose epoxy resin for fiberglassing, molding, laminating and repairing. Use this product where superior adhesion is required on aluminum, steel, fiberglass, close-grained hardwoods and Styrofoam™. Use with Sea-Glass™ fiberglass fabrics and Evercoat® Coloring Agents.

Part Number	Size	Case Qty.	Case Wt. (lb)
100642	1 Gallon	1	11
100643	1 Quart	6	18

Substrates Include:



3 ACCESSORIES

Liquid Hardener



Hardening agent for use with all polyester resins and gel coats. Plastic squeeze tube has graduated measure for mixing convenience. Use this Methyl Ethyl Ketone Peroxide catalyst according to the resin/gel coat label directions.

Part Number	Size	Case Qty.	Case Wt. (lb)
100602	11 cc	12	1
100603	44 cc	12	3

Cream Hardener



Part Number	Size	Case Qty.	Case Wt. (lb)
100354 Blue	2.75 oz	24	5
100358 Red	2.75 oz	24	5
100360 Blue	4 oz	12	4
100361 Blue	1 oz	24	2
101607 White	4 oz	12	3

Hardening agent for use with all polyester fillers. White BPO formula maintains color of filler to minimize excessive priming.

Acetone



Top-quality, resin-grade thinner for spray applications of Gel-Kote™ and resins. Use for quick, easy clean-up of spray equipment, brushes and other tools.

Part Number	Size	Case Qty.	Case Wt. (lb)
100581	1 Gallon	4	32
100582	1 Quart	6	13

Coloring Agents



Part Number	Size	Case Qty.	Case Wt. (lb)
100503-Tropical Red	1 oz tube	6	1
100505-Sunset Yellow	1 oz tube	6	1
100506-Brown	1 oz tube	6	1
100507-Admiral Blue	1 oz tube	6	1
100508-Black	1 oz tube	6	1
100509-White	1 oz tube	6	1

Popular color matching agents that blend with polyester resins, epoxy resins, gel paste, polyester fillers / putties and Skid-No-More®. Available in the colors listed to the left.

**See website for Color Match Chart.*

Spreaders



For smooth application of all resins and putties (both polyester and epoxies). All spreaders are flexible, durable and reusable. Available in a 3-pack of different sizes or a 72-pack display box.

Part Number	Size	Case Qty.	Case Wt. (lb)
100375	3" x 5"	72	4
100381	Various sizes	24	4
100524	3" x 4" spreaders	72	3

Fiberglass Cloth (6 oz)



Part Number	Size	Case Qty.	Case Wt. (lb)
100911	44" x 1 yd. (1.22 sq. yds.)	6	3
100912	44" x 3 yds. (3.67 sq. yds.)	6	9
100917	38" x 1 yd. (1.05 sq. yds.)	6	3
100918	38" x 3 yds. (3.16 sq. yds.)	6	8
100903-Bulk	38" x 60 yds.	1 roll/case	26
100906-Bulk	60" x 60 yds.	1 roll/case	45

A woven fiberglass material suitable for all marine resins. Should be used for any repair or original construction where resin is used.

Bulk options for large construction work or for the dealer who cuts as needed.

Fiberglass Tape (6 oz)



Cloth-woven tape in narrow width with a non-raveling edge. Perfect for fiberglassing seams, chines, keels, small patch jobs, corners and edges.

Bulk options for large construction work or for the dealer who cuts as needed.

Part Number	Size	Case Qty.	Case Wt. (lb)
100932	4" x 10 yds.	6	3
100922-Bulk	4" x 50 yds.	3 roll/case	8
100923-Bulk	6" x 50 yds.	2 roll/case	6

Fiberglass Mat (1.5 oz and 0.75 oz)



100% fiberglass in non-woven state. For bulk "build-up" when repairing holes and badly damaged areas. Also molds and builds for repair of curved surfaces on fiberglass objects.

Bulk options for large construction work or for the dealer who cuts as needed.

Part Number	Size	Case Qty.	Case Wt. (lb)
100940 - 1.5 oz	38" x 34" (1 sq. yd.)	6	6
100941 - 1.5 oz	38" x 102" (3 sq. yds.)	3	8
100942 - 0.75 oz	8 sq. ft.	6	3
100945-Bulk - 1.5 oz	38" x 230 ft. (average)	1 roll/case	70

Fiberglass Woven Roving (24 oz)



Super-heavy, woven cloth for faster buildup and extra strength. Should be used in addition to mat and cloth to acquire the strength needed with minimal lay-up time.

Part Number	Size	Case Qty.	Case Wt. (lb)
100946	50" x 1 yd. (1.05 sq. yds.)	6	14



5 REPAIR KITS

Polyester Resin Fiberglass Repair Kit



Fast and easy permanent repairs of fiberglass, most woods and metals. Strengthens, repairs and rebuilds. Repair cracks and holes in fiberglass and wood. These kits may be used for small lay-up jobs or fabricating missing fiberglass panels. All kits include fiberglass fabric, spreader stick, polyester resin and liquid hardener.

Part Number	Size	Case Qty.	Case Wt. (lb)
100370	1 Quart	6	21
100637	1/2 Pint	6	6

Polyester Resin Gel Repair Kit



Fast and easy permanent repairs of fiberglass, most woods and metals. Strengthens, repairs and rebuilds. This gel formula may also be used to fill small gouges and cracks without cloth. Kit includes fiberglass fabric, spreader stick, resin gel and liquid hardener.

Part Number	Size	Case Qty.	Case Wt. (lb)
108050	2 oz	6	2

Inflatable Boat & Raft Repair Kit



Repair nylon/hypalon/neoprene with this tough-bonding formula. Kit includes cleaning solvent and 6"x12" heavy reinforcing fabric to ensure long lasting repairs on dinghies, sport boats and other inflatable craft. Preserves buoyancy and resists cuts, cracks and impact. Not recommended for PVC repairs.

Part Number	Size	Case Qty.	Case Wt. (lb)
100618	1 Kit	6	6

Gel Coat Repair Kits



Permanently repairs nicks, gouges and scratches in fiberglass hulls and decks. Blend with Evercoat® Coloring Agents to achieve a match to almost any color. Repair material cures glass-hard in one hour. A special release film and no-run polyester gel makes a slick, no-sand finish quick and easy. Mix colors directly against hull or deck for a perfect match. Also repairs counter tops, appliances, bathtubs and sinks. Complete kit contains colors, polyester gel coat paste, hardener, release film, mixing sticks, blending chart and instructions.

Part Number	Size	Case Qty.	Case Wt. (lb)
100668	4 oz	4	5
108000	1 oz	6	3

One Step Finish Premium Gel-Kote™



A premium quality, ISO NPG marine finish gel coat used to permanently repair and construct original marine gel coat finishes. The product cures to a hard finish and does not require Evercoat® Mold Release (#105685) to attain a fully-cured surface. Use to fill gouges, chips, scrapes and deep scratches in the fiberglass gel coat. One Step Finish Gel-Kote is a non-run, non-sag formulation of flexible polyester resins to produce resiliency and toughness.

Part Number	Size	Case Qty.	Case Wt. (lb)
105670 White	1 Pint	6	11
105671 White	1 Quart	6	19

Evercoat® Coloring Agents may be used to tint the material to desired color. Reduce with Evercoat® Acetone (10%) for sprayer applications.

Premium Gel-Kote™



A premium quality, ISO NPG marine laminating gel coat used to permanently repair or replace original, high-gloss finish. The product cures to a tacky finish for re-coating. Evercoat® Mold Release (#105685) must be used to attain a fully-cured surface. Use to fill gouges, chips, scrapes and deep scratches in the fiberglass gel coat. Gel-Kote™ is a non-run, non-sag formulation of flexible polyester resins to produce resiliency and toughness.

Part Number	Size	Case Qty.	Case Wt. (lb)
105673 White	1 Pint	6	13
105675 White	1 Quart	6	20
105676 Neutral	1 Quart	6	19
105677 White	1 Gallon	4	44

Evercoat® Coloring Agents may be used to tint the material to desired color. Reduce with Evercoat® Acetone (10%) for sprayer applications.

PVA Mold Release Agent



Use as an air-inhibiting agent for Gel-Kote™. Spray a light mist over the catalyzed Gel-Kote™ to fully cure and eliminate the tacky feel. Can be used as an excellent mold release agent.

Part Number	Size	Case Qty.	Case Wt. (lb)
105685	8 fl. oz.	6	4

Polyester Gel Paste



Gel coat quality in a paste. Repair larger areas of gel coat scratches, nicks and gouges. Mix with Evercoat® Coloring Agents to match the gel coat's original color. This neutral-colored paste will make permanent repairs on gel coat and fiberglass panels. Will also adhere to most woods and metals.

Part Number	Size	Case Qty.	Case Wt. (lb)
100695	1 Pint	6	11

Gel Coat Scratch Patch



Repair fiberglass boats, bathtubs, shower stalls and hot tubs. Easy, permanent repairs on hairline cracks, small scratches and chips in fiberglass. This one-part formula does not need a catalyst. Just fill in the crack, let it set and scrape off the excess with the enclosed spreader.

Part Number	Size	Case Qty.	Case Wt. (lb)
105652 White	1/2 fl. oz.	10	1
105653 Buff White	1/2 fl. oz.	10	1

7 SPECIALTY PRODUCTS

Skid-No-More® Non-Skid Coating



For steps, porches, walkways, diving boards, docks, boat decks and tools. Skid-No-More is a textured non-skid coating, formulated with acrylic latex and ground rubber. It is non-abrasive, pliable and resilient to the touch. It can be applied to most surfaces with a paintbrush, napped roller or squeegee. Skid-No-More is medium gray in color, but can be tinted to other desired colors with Evercoat Coloring Agents. Coverage is approximately 40-60 square feet per gallon.

Part Number	Size	Case Qty.	Case Wt. (lb)
100853	1 Gallon	4	39
100854	1 Quart	6	17

Sealant Foam



Multiple use foam curing to a semi-rigid, closed cell mass. Can be used on a car, boat or house for caulking, sealing and filling. Will adhere to metal, fiberglass and wood. Waterproof. Cures in 20 minutes. Can be cut, sanded or painted. By the absorption of moisture, expands approximately 50% during cure.

Part Number	Size	Case Qty.	Case Wt. (lb)
100654	12 oz	12	14

Two-Part Pourable Foam-It



Fill boat cavities, pontoons and floating dock blocks. Make your own buoy markers. Just mix and pour this foam to fill cavities, increase buoyancy, insulate fish or ice boxes, coolers and cabinets. This 2 pound density foam will increase flotation, insulation and fill gaps. Mix 1:1. This quick formula allows approximately twenty seconds for mixing and pouring. Sets in place in less than 10 minutes. Cure time is 4 hours.

Part Number	Size	Case Qty.	Case Wt. (lb)
105612	1/2 Gallon Unit	3	23

POLYESTER FILLERS

Formula 27®



Permanently repairs fiberglass, wood, metal, stucco and drywall. High quality, white plastic filler used to fill dents, scrapes and gouges. This product does not shrink after curing. A true "miracle mender" that won't crack or pop out. A long time favorite of consumers every where. Formula 27® can be tinted with Evercoat® Coloring Agents. White cream hardener is included.

Part Number	Size	Case Qty.	Case Wt. (lb)
100570	1 Quart	6	25
100571	1 Pint	6	14
100572	1/2 Pint	6	9

White Marine Filler



This filler will quickly, easily and permanently repair breaks, splits, holes and ruptures or other imperfections caused by accidents or normal wear and tear to fiberglass, wood, some metals and cement. Filler can be tinted with Evercoat® Coloring Agents. White cream hardener is included in case.

Part Number	Size	Case Qty.	Case Wt. (lb)
100574	1 Gallon	4	59

Rage® Ultra



Rage® Ultra is the world's best sanding body filler. Its unparalleled sanding qualities are a result of the patented formula that contains renewable technology. Its non-sag formula has excellent filling properties, while eliminating the need for finishing putty. Rage® Ultra contains ZNX-7® and is part of the Metalworks® Warranty.

Part Number	Size	Case Qty.	Case Wt. (lb)
100125	1 Gallon	4	36

Lite Weight®



This best-selling, high-quality, clog-free, lightweight body filler is a great value with its smooth-spreading and easy-sanding features. Non-clog formula adds greater value in sandpaper savings. Blue cream hardener is included in case.

Part Number	Size	Case Qty.	Case Wt. (lb)
100156	1 Gallon	4	38
100157	1 Quart	12	30
100158	1 Quart w/ dome	6	17

Polyester Glazing Putty



The original polyester glazing putty. Can be applied directly to bare metal, body filler, fiberglass and fully-cured, sanded top coats. Its thick, creamy, smooth texture works well for filling minor scratches, pinholes, grind marks and other surface imperfections. Blue cream hardener is included in case.

Part Number	Size	Case Qty.	Case Wt. (lb)
100400	20 oz.	12	33
100407	1/2 Gallon	4	28

Everglass®



This filler contains short strand, reinforced fibers for fortifying fiberglass repairs. High strength, high build, waterproof formula makes it excellent for repairing holes, rusted metal, shattered fiberglass and damaged wood. Contains ZNX-7® for outstanding adhesion to fiberglass, wood and metal. Blue cream hardener is included in case.

Part Number	Size	Case Qty.	Case Wt. (lb)
100622	1 Gallon	4	46
100632	1 Quart	6	21

Kitty Hair®



This filler contains long strand, reinforced fibers for rebuilding shattered fiberglass. Excellent for filling areas that need extra reinforcement without excessive layers of cloth and resin. Superb adhesion to fiberglass, wood and metal. Blue cream hardener is included in case.

Part Number	Size	Case Qty.	Case Wt. (lb)
100868	1 Quart	6	22
100869	1 Gallon	4	53

White Star™ Filler



A general purpose, white, flexible filler for filling low spots. Spread over coarser fillers to achieve a smoother surface before final finishing. Blue cream hardener is included in case.

Part Number	Size	Case Qty.	Case Wt. (lb)
100204	1 Gallon	4	54
100205	1 Quart	12	40

Rage®



Rage® is a lightweight filler that uses a premium grade resin which provides a quick tack free surface ready for sanding. The advanced formula helps prevent staining and bleed through on base coat/clear coat paint systems. It adheres well to metal, galvanized metal, aluminum, fiberglass and sanded OEM finishes. Sands with ease to a fine feather edge without clogging the sandpaper.

Part Number	Size	Case Qty.	Case Wt. (lb)
100106	1 Gallon	4	40

HomeFix® Universal Repair Filler



A contractors grade repair filler for the “do-it-yourselfer”. Numerous uses include drywall and plaster repair, plus repairs to most types of wood and metal. Creamy formula spreads like spackling and does not shrink, crumble or fall out. Provides a durable long lasting repair indoors or out. Sands easily and may be painted or tinted.

Part Number	Size	Case Qty.	Case Wt. (lb)
100769	1 Quart	6	17
100770	1 Gallon	4	43

HomeFix® Super Strength Universal Repair Filler



A super strength contractor’s grade filler fortified with strands of fiberglass for superior bonding. Rebuilds damaged and rotted wood, metal and fiberglass. Excellent for masonry repairs to steps, porches and foundations. Offers high build capabilities with excellent adhesion. Hangs well on vertical surfaces. Formulated to withstand outdoor conditions. This filler can be routed and shaped to desired contour. Will not shrink, crack or crumble and may be painted or tinted.

Part Number	Size	Case Qty.	Case Wt. (lb)
100773	1 Quart	6	24

Fiberglass Resin



A thick, non-sag formula for repairing and re-building fiberglass surfaces. This product can be used on most wood, fiberglass masonry and some metal surfaces. Must be used with SeaGlass™ fiberglass fabrics. Can be tinted with Evercoat® Coloring Agents. Liquid hardener is included.

Part Number	Size	Case Qty.	Case Wt. (lb)
105499	1 Quart	6	17



Paint Mixing Cups and Lids



Quality plastic cup designed to make mixing of primers, resins, gelcoats, epoxies, etc. easier and faster. Economical enough to be disposable, but durable enough to be washed and reused time and time again.

Part Number	Description	Units/Carton	Weight/Carton (lbs)
100781	8 oz. Paint Mixing Cup	100	3
100782	8 oz. Paint Mixing Cup Lid	100	4
100783	Pint Paint Mixing Cup	100	7
100784	Pint Paint Mixing Cup Lid	100	3
100785	Quart Paint Mixing Cup	100	9
100786	Quart Paint Mixing Cup Lid	100	3
100789	2.5 Quart Paint Mixing Cup	50	9
100790	2.5 Quart Paint Mixing Cup Lid	50	3
100791	5 Quart Paint Mixing Cup	25	9
100792	5 Quart Paint Mixing Cup Lid	25	3

Masking Products



Low-density polyethylene plastic sheeting. Covers cars, boats, trucks and SUVs. Best used for painting or storage. Impermeable to dust, dirt, rustproofing materials, and overspray.

Part Number	Description	Units/Carton	Weight/Carton (lbs)
100324	Evercling™ Sheeting, Continuous 16' x 350' Roll	1	14
100328	Evercling™ Sheeting, Continuous 14' x 350' Roll	1	12
100349	Sheeting Economy, Continuous Roll 12' x 400'	1	11
100447	Green Prem. Mask Paper, 18" (2 Rolls/Sleeve)	1	32
100448	Green Prem. Mask Paper, 36" (1 Roll/Sleeve)	1	30
100465	Green Prem. Hand Mask, 12" x 60 Yd.	12	24
100467	Green Prem. Hand Mask, 18" x 60 Yd.	12	36
100480	Blue Polycoated Paper, 17½" x 738' (2 Rolls/Sleeve)	1	29
100481	Blue Polycoated Paper, 34½" x 738' (1 Roll/Sleeve)	1	28
100488	Green Prem. Mask Paper, 12" (3 Rolls/Sleeve)	1	32

Mixing Boards



Disposable mixing boards, 100 sheets per board. Easy to tear off. Chemical resistant, non-absorbing sheets.

Part Number	Description	Units/Carton	Weight/Carton (lbs)
100173	Disposable Mixing Boards 8.5" x 10"	25	36
100174	Disposable Mixing Boards 11" x 17"	20	62



ITW EVERCOAT | a division of Illinois Tool Works Inc. | 6600 Cornell Road | Cincinnati, OH 45242
513-489-7600 | ©2017 ITW Evercoat

evercoat.com

704166 9.2017