



Use the POR-15° 3-Step System to Stop Rust Permanently!

POR-15° products are designed to work as a complete system. When used together, they provide a coating that not only stops rust, but prevents it from returning. All POR-15° products are available individually, and many are available in money saving kits geared to your specific restoration need. Here is how the system works:



Clean metal surfaces with water-based POR-15° Cleaner **Degreaser.** It removes dirt, grease, wax and other contaminants that interfere with restoration. See page 4 for more information.





STEP 2 - Neutralize Rust; Etch Metal

STEP 1 - Clean & Degrease Surface

Spray *POR-15*° *Metal Prep* on the surface to remove rust or prepare it for POR-15° Rust Preventive Coating. Metal Prep neutralizes rust, etches metal for better adhesion, and coats it with zinc phosphate for permanent adhesion. See page 5 for more information.





PREP IT!

STEP 3 - Apply Rust Preventive Coating to Surface

Apply 2 thin coats of POR-15° Rust Preventive Coating. You'll get an unbelievably tough, hard, finish that won't crack, chip, or peel. It's so tough you can pound it with a hammer and not damage it! That's REAL protection! See *page 6-7* for more information.





Then Topcoat the Surface

Finish your job with a POR-15° Top Coat or any other POR-15° coating that suits your needs.



POR-15® high performance coatings revolutionized rust protection. These state of the art products form an impenetrable barrier that protects a variety of surfaces from water, chemicals, salt, UV rays, corrosive contaminants, and every day wear and tear. POR-15® products have been applied to thousands of vehicles around the world from celebrated restoration shops to antique car museums and classic car shows.

P.O.R. Products, the makers of POR-15®, is a family-owned company headquartered in New Rochelle, New York complete with our own team of chemists and a state-of-the-art manufacturing facility on-site. For nearly a century, we have been committed to innovation and quality control with an emphasis on personal and professional customer service. P.O.R. Products continues to evolve through research and development to grow our achievements in the industry.





Rust Prevention

3 Step System, Dry Time

Primers

Weld-Thru, Self Etch, High Build



Topcoats

Detail Paint, 2K Urethane, Top Coat, Engine Enamel



Matte Clear, Rubber Undercoating, OEM Bed Liner, High Temp, Patch, Putty



Kits

Stop Rust, Floor Pan & Trunk, Fuel Tank, Caliper Painting, Engine Painting



Strip, Rust Remover, Solvent, Scuff Pads, Daubers, Solvent, PowerMesh, Boss Gloss





ConcretePrimer, Floor Coatings



Featured on our cover is a Factory Five Racing '33 Hot Rod with paint and flames by Crazy Horse Paint.

© Factory Five Licensing, Image used with permission







1 Clean It!

Cleaner Degreaser



Cleans and Degreases in One Application

POR-15° Cleaner Degreaser cleans and degreases in one application without leaving residues, noxious fumes or flammable solvents. No other cleaner works as fast or as well. It makes petroleum-based cleaners almost obsolete because it can be diluted with water to 4, 5, and even 10 times its volume while remaining even more potent than other cleaners. POR-15° Cleaner Degreaser removes grease, oil, mildew, algae, musty odors, soap films and wax. Use it to clean canvas, vinyl, nylon, holding tanks, grease traps, auto parts and more. Before applying ANY rust preventive coating or paint, you MUST remove all oily film or residue to be absolutely certain of good adhesion.

APPLICATIONS:

- Engines
- Suspension Components
- Transmissions
- · Grease Traps
- · Floor Pans

			_
E.	 Ta	n	

- Frames
- Rubber, Nylon, Vinyl Water Line Scum

PRODUCT	SIZE	CODE
Cleaner Degreaser	Gal.	40101
Cleaner Degreaser	Qt.	40104



We used the POR-15® Cleaner Degreaser to remove any surface oils or other contaminants on the metal. After primer, the correct semi-gloss black paint from POR-15® was applied with a spray gun and compressor on all parts of the frame.

- Rod and Custom Magazine.





Etches Metal and Leaves a Zinc Phosphate Coating

Now that you've degreased and cleaned your metal, use POR-15° Metal Prep to guarantee the best paint adhesion on ANY metal surface, including aluminum and shiny polished metal surfaces. POR-15° Metal Prep etches metal, leaves a zinc phosphate coating, and creates the perfect anchor pattern for any topcoat, especially our incredible POR-15° Rust Preventive Coating.

PRODUCT	SIZE	CODE
Metal Prep	Gal.	40201
Metal Prep	Qt.	40204



FEATURES:

- Easy-to-Use, One-Step Process Coats Metal with Zinc Phosphate
- No Harmful Residues
- · Insures Perfect Paint Adhesion
- Reusable
- Provides Perfect Base for All Paints
- Removes Surface Rust in Minutes!
- Gives Better Welding Conductivity



...we located the rustiest car we could find and performed a complete floor pan replacement. The key to the repairs is etching the new metal with Metal Prep and sealing it with POR-15® and paint... This ensures that rust will not be a problem in the future.

- Muscle Car Review Magazine.







Coat It!

POR-15[®] Rust Preventive Coating


No Need to Remove Rust First!

The secret lies in POR-15° Rust Preventive Coating's curing process. Most paints dry through evaporation, but POR-15° Rust Preventive Coating dries faster when moisture is present. It has the opposite chemistry of ordinary paints. Now add to that POR-15° Rust Preventive Coating's incredible hardness, toughness, and

flexibility, and you have a coating that is practically indestructible. POR-15° is great for auto restoration and this incredible product is now sold in 52 countries around the world.

Use POR-15° to protect expensive and valuable equipment against rust and abrasion. POR-15° also has excellent "surface tolerance," which means it works very well on porous surfaces.

POR-15° is available in gloss black, semi-gloss black, silver, gray, and clear.



FEATURES:

- 1 Qt. covers 96 sq. ft. / 1 liter covers 9.2 M2
- Double the solid content of most paints
- Compatible with all paint systems
- Tested to over 450°F / 232°C
- · Exceeds 2000 hours salt spray test
- Self-leveling

- · Hammer tough
- Single Component
- Dries faster in humid conditions
- Repels all fuels and oils
- · Resistant to most acids and alkalis



F POR-15® is great, has never failed me, it's a product I count on for many of our projects. **J** J

- Steve Darnell of Welderup





Note: Exact colors may vary, due to the printing process.

APPLICATIONS:

- Automotive chassis, doors, floors, trunk areas, suspension, engines & fuel tanks
- Industrial heavy equipment, truck components, trailers, fuel storage, rebar, steel

forms, concrete, storm grates, transformers

- Marine decks, bilges, hulls, pipes, chain lockers, masts
- Also excellent for sealing and repairing fiberglass

POR-15[®] Dry Time Accelerator



Additive for POR-15® Rust Preventive Coating

POR-15° Dry Time Accelerator is an additive specially formulated for use with POR-15° Rust Preventive Coating. Dry Time Accelerator is designed to accelerate the cure time of POR-15° Rust Preventive Coating by 30-50% without affecting the ultimate physical properties. Developed to allow for a more efficient production environment, Dry Time Accelerator reduces recoat and dry time and enables you to move on to the next phase faster, without compromising product performance.

The accelerator is added to POR-15® Rust Preventive Coating by volume and should be thoroughly mixed. Once mixed, the cure time is typically reduced by 30-50%.

Important: Adding the accelerator drastically reduces the cure time (time you have to apply to your substrate) and under humid and warmer conditions the dry time is significantly quicker.

We recommend testing to ensure your specific needs are met. One 8 oz. bottle of POR-15° Dry Time Accelerator is enough for 32 quarts or 8 gallons of POR-15° Rust Preventive Coating.

PRODUCT	SIZE	CODE
Dry Time Accelerator	8 oz.	40616





Weld-Thru Primer

Weldable Zinc Enriched Primer

POR-15° Weld-Thru Primer can be applied over cured POR-15° Rust Preventive Coating and all POR-15° topcoats to enable quick refinishing and recoating of these products. POR-15° Weld-Thru Primer also adheres well to steel, aluminum, stainless steel, brass, and other primed and painted surfaces.

PRODUCT	SIZE	CODE
Weld-Thru Primer	Spray 15 oz.	41418



High Build Primer

Buildable & Sandable

For years we've worked on a primer to paint over well-cured POR-15® Rust Preventive Coating. We wanted one that was buildable and sandable and easy to apply. POR-15® High Build Primer is the answer. It has great interlocking adhesion qualities and very little preparation is necessary to get a top-notch bond. With a solids content of 60%, High Build Primer has all the body it needs to do the job right with great leveling as well as to overcome surface irregularities.

PRODUCT	SIZE	CODE
High Build Primer	Gal.	41101
High Build Primer	Qt.	41104
High Build Primer	Pt.	41108





Self Etch Primer

POR-15® Self Etch Primer is the perfect solution for painting over top of cured POR-15® Rust Preventive Coating. This terrific, high-tech coating will gently etch cured POR-15® Rust Preventive Coating, making the perfect surface for bonding with the paint of your choice. Now you can use POR-15® Rust Preventive Coating for the ultimate protective coating, while also finishing with any of our single or two part topcoating paint!

You'll love the way it bonds to cured POR-15® Rust Preventive Coating, and the way other paints bond to it.

Note that very old, cured POR-15® Rust Preventive Coating finishes may still require light attention with some coarse sandpaper. For best application, Self-Etching Primer should be sprayed.

PRODUCT	SIZE	CODE
Self Etch Primer	Spray 15 oz.	41018

Terrific over cured Preventive Coatina

POR-15® Rust

Detail Paint

Replicate the look of metals on original cast parts.

POR-15® Detail Paint provides professional grade finishes that reproduce the original look of cast parts. POR-15® Detail Paint is perfect for water pumps, intake manifolds, and master cylinders. Designed to protect against rust, all the colors are developed to have a low sheen, and will not yellow to keep your restored component looking factory new.

POR-15® Detail Paint is formulated to provide maximum corrosion resistance and protect metal substrates against weather, sunlight, oil, and water.

PRODUCT	SIZE	CODE
Cast Aluminum	Spray 15 oz.	41618
Cast Iron	Spray 15 oz.	41718
Stainless Steel	Spray 16 oz.	41818



Steel



Cast Iron



Aluminum







Topcoat It!

Top Coat

POR-15® Top Coat is a direct-to-metal coating designed to work incredibly well in all applications where there is a need to preserve substrates susceptible to corrosion. Under exposure to sunlight and weather **POR-15® Top Coat** has exceptional long-term gloss and color retention. **POR-15® Top Coat** can be applied directly to metal substrates, with no need for a primer

or undercoat, and is formulated to form a robust barrier that sheds moisture to provide long lasting protection. **POR-15® Top Coat** has excellent adhesion and when used over **POR-15® Rust Preventive Coating** the products create a system works to provide a permanent barrier to corrosion.

- Direct to Metal (DTM)
 Rust Preventive Paint
- · No Need for Primer or Undercoat
- Use over POR-15® Rust Preventive Coating for Permanent Protection





New Safety Colors



PRODUCT	SIZE	CODE
Clear	Spray 14 oz.	45718
Gloss Black	Gal.	45801
Gloss Black	Qt.	45804
Gloss Black	Pt.	45808
Gloss Black	Spray 14 oz.	45818
Chassis Black	Gal.	45901
Chassis Black	Qt.	45904
Chassis Black	Pt.	45908
Chassis Black	Spray 14 oz.	45918
Silver	Gal.	46001
Silver	Qt.	46004
Silver	Pt.	46008
Silver	Spray 14 oz.	46018
Safety Red	Gal.	46101
Safety Red	Qt.	46104
Safety Red	Spray 16 oz.	46118
Safety Orange	Gal.	46201
Safety Orange	Qt.	46204
Safety Orange	Spray 16 oz.	46218

PRODUCT	SIZE	CODE
Safety Yellow	Gal.	46301
Safety Yellow	Qt.	46304
Safety Yellow	Spray 16 oz.	46318
Safety Blue	Gal.	46401
Safety Blue	Qt.	46404
Safety Blue	Spray 16 oz.	46418
Safety Green	Gal.	46501
Safety Green	Qt.	46504
Safety Green	Spray 16 oz.	46518
Flat Gray	Gal.	46601
Flat Gray	Qt.	46604
Flat Gray	Spray 16 oz.	46618
Red Oxide	Gal.	46701
Red Oxide	Qt.	46704
Red Oxide	Spray 16 oz.	46718
Gloss White	Gal.	46801
Gloss White	Qt.	46804
Gloss White	Pt.	46808
Gloss White	Spray 16 oz.	46818





Topcoat It! Engi

Engine Enamel



Restore, brighten or customize your engine with **POR-15® Engine Enamel**. This durable direct to metal coating creates a smooth, high-gloss finish that

withstands the rigors of the engine compartment while

improving the look and preventing corrosion of the metal components. **POR-15° Engine Enamel** withstands intermittent temperatures up to 500°F (260°C). In addition to its exceptional long-term gloss and color retention it resists damage from oil, gas, grease, salt, humidity, solvents and of course rust.

POR-15° Engine Enamel is formulated to match O.E.M. standards and to keep engine surfaces from pitting and rusting and deliver

the look and performance expected from **POR-15**°.

late '73-'83



PRODUCT	SIZE	CODE
Aluminum	Pt.	42008
Austin Healey Green	Pt.	42028
Black	Qt.	42034
Black	Pt.	42038
Ford Corporate Blue	Pt.	42048
Buick Green	Pt.	42058
Chevrolet Blue	Pt.	42078
Cadillac Dark Blue	Pt.	42088
Classic Ford Red	Pt.	42098
Chrysler Blue	Pt.	42108
Chrysler Turquoise	Pt.	42128
Chevrolet Red	Pt.	42148
Ford Blue	Pt.	42158
Ford Green	Pt.	42168
Chrysler Hemi Orange	Pt.	42188
Hi Po Yellow	Pt.	42198
MG Maroon	Pt.	42208
Olds Gold	Pt.	42228
White	Pt.	42238
Chevy Orange	Qt.	42264
Chevy Orange	Pt.	42268
AMC Blue Green	Pt.	42308



Topcoat It!

2K Urethane



Check out our new super-tough
POR-15° 2K Urethane paint. 2K
Urethane paint is a tough, glossy,
two-component coating for use over
primed or painted surfaces. When
fully cured, 2K Urethane paint is
rock-hard, chemical-resistant, and
incredibly tough. Durable and easily
cleaned, it will not crack, chip, or
peel with age. This beautiful, twocomponent coating is stronger than
any color paint you have ever tried.
The long-lasting brilliant colors will
look terrific wherever you use them,
and remain durable.

	_	
PRODUCT	SIZE	CODE
Gloss Black	Gal.	43201
Gloss Black	Qt.	43204
Safety Blue	Gal.	43241
Safety Blue	Qt.	43244
Dark Gray	Gal.	43251
Dark Gray	Qt.	43254
Safety Green	Gal.	43261
Safety Green	Qt.	43264
Safety Red	Gal.	43271
Safety Red	Qt.	43274
Safety Yellow	Gal.	43281
Safety Yellow	Qt.	43284
Light Gray	Gal.	43301
Light Gray	Qt.	43304
Safety Orange	Gal.	43341
Safety Orange	Qt.	43344
Gloss White	Gal.	43401
Gloss White	Qt.	43404
Clear	Gal.	43501
Clear	Qt.	43504



Note: Exact colors may vary, due to the printing process.
We recommend Xylene for thinning POR-15° 2K Urethane paints.

AP-120 Metal Prep

Achieve the ultimate clear finish on polished metal, using our **AP-120 Metal Prep**. Specially formulated to be used with **POR-15® 2K Urethane** Clear for the proper preparation of alloys and brass to keep that clean metal look.

PRODUCT	SIZE	CODE
AP-120 Metal Prep	20 oz.	40020







Topcoat It!

MATTE Clear Coat



POR-15® Matte Clear Coat seals in any color or patina for a custom low sheen look with amazing results. **POR-15® Matte Clear Coat** is specifically designed to deliver an extreme level of resistance to scuffing and scratching, and be a leader in waterborne and even traditional matte clear coatings.

POR-15® Matte Clear Coat is formulated with a low VOC, Waterborne Polyurethane Clear Coat Technology that is silica free. **POR-15® Matte Clear Coat** has excellent weathering properties and can be used on any substrate that can be cleared with a traditional clear coat.

PRODUCT	SIZE	CODE
MATTE Clear Coat	Gal.	44901
MATTE Clear Coat	Qt.	44904





OEM Bed Liner



PRODUCT	SIZE	CODE
OEM Bed Liner - Black	Gal.	49701
OEM Bed Liner - Black	Qt.	49704

POR-15° OEM Bed Liner is formulated to protect surfaces that are exposed to impact and scuff related environments while out performing non water-based formulas. POR-15° OEM Bed Liner is a low-odor, water-based, soap and water cleanup, rubberized coating that offers superior adhesion, impact resistance, and flexibility, as well as an


attractive, non-slip texturized gloss black finish. **POR-15° OEM Bed Liner** is UV stable and will resist damage typically caused by exposure to UV. For the ultimate in protection apply over

POR-15® Rust Preventive Coating.

RECOMMENDED USES:

- · Metal truck beds
- · Rocker panels
- Trailers
- Tractor beds
- Running boards
- · Work van floors

Compare to Drop-in Liners



POR-15° OEM Bed Liner Prevents Moisture



Rubberized Under Coating

POR-15® Rubberized Under Coating is a flexible, paintable, black coating. It will protect against moisture, dust, heat and cold. It is an excellent moisture barrier and creates an effective sound barrier that reduces vibration and deadens sound in wheel wells, quarter panels, fenders, frames and under carriages. Provides superior adhesion to both painted and unpainted surfaces. **POR-15® Rubberized Under Coating** has superior resistance to road salt and will resist chipping and abrasions.

PRODUCT	SIZE	CODE
Rubberized Under Coating	Spray 17 oz.	49308



Apply directly over **POR-15® Rust Preventive Coating** for the toughest rust, corrosion, and moisture barrier possible along with excellent sound and vibration deadening.



GENERATOR

Top Coat - Chassis Black Detail Paint - Stainless Detail Paint - Cast Iron

ENGINE

POR-15° 3-Step System Rust Preventive Coating Engine Enamel - Ford Red

TRANSM

Detail Paint - C
Top Coat - Clea

RADIATOR

Top Coat - Chassis Black

HEADERS

High Temp - Aluminum

BACKING PLATES

Detail Paint - Stainless

CHASSIS

POR-15° 3-Step System
Rust Preventive Coating - Gray
Automotive topcoat & clearcoat

WHEELS

POR-15° 3-Step System
Rust Preventive Coating - Gray
Automotive topcoat & clearcoat

'32 Roadst PRODUCT RI

ISSION

ast Aluminum

BACKING PLATES

POR-15° 3-Step System Rust Preventive Coating Top Coat - Chassis Black

BRAKE DRUMS

POR-15® 3-Step System Rust Preventive Coating Top Coat - Gloss Black

BELL HOUSING

Top Coat - Clear

BANJO REAR & TORQUE TUBE

POR-15° 3-Step System Rust Preventive Coating Top Coat - Chassis Black

PITMAN ARM & STEERING BOX

POR-15® 3-Step System Rust Preventive Coating Top Coat - Chassis Black

RADIUS RODS

POR-15° 3-Step System Rust Preventive Coating Top Coat - Gloss Black

TIRES

Boss Gloss



er Build

EFERENCE





Guaranteed to maintain rich, brilliant colors without burning off or discoloring.

POR-15® High Temp is capable of withstanding extreme temperatures up to 1200°F and will resist cracking, chipping, and peeling. Brush on or thin to spray. Sandblasting is optimum surface

preparation. **Flat Black**, **Manifold Gray**, and **Aluminum**, can be used on all cars, domestic or foreign, and meet or exceed properties and requirements of MIL-C-13370.

PRODUCT	SIZE	CODE
Flat Black	Gal.	44101
Flat Black	Qt.	44104
Flat Black	8 oz.	44116
Flat Black	Spray 15 oz.	44118
Manifold Gray	Gal.	44201
Manifold Gray	Qt.	44204
Manifold Gray	8 oz.	44216
Manifold Gray	Spray 15 oz.	44218
Aluminum	Gal.	44301
Aluminum	Qt.	44304
Aluminum	8 oz.	44316
Aluminum	Spray 15 oz.	44318









Manifold Gray

Note: Exact colors may vary, due to the printing process.





The Ultimate Filler/Adhesive Apply right over rust or metal

Filler and Seam Sealer

For years our customers have asked us for a thicker version of our world-famous POR-15° Rust Preventive Coating, to use for filling seams or holes. Here it is! POR-15° Patch is, quite literally, POR-15° Rust Preventive Coating, in a tube, and like POR-15° Rust Preventive Coating, it dries as hard as a rock, remains flexible, and once dry is totally impervious to fuels and solvents. It's so tough it may actually add strength to weakened metal. And it won't absorb moisture and swell like conventional body fillers.


PRODUCT	SIZE	CODE
Black	4 oz.	49013
White	4 oz.	49023

USE IT TO:

- · Permanently seal seams
- Patch holes in steel, wood, or plastic
- · Fix holes in fuel tanks
- Bond steel to plastic, wood, or concrete
- Repair concrete and cinder blocks

Epoxy Putty

Industrial Pliable Filler



And since it is water-based, you can simply wet your fingers, and work it until it is almost perfectly smooth before it dries – eliminating most sanding! But when it cures, it's rock hard, making it perfect for repairing steel, plastics, concrete, etc. Amazingly, it even sticks to damp surfaces, and will cure under water.

PRODUCT	SIZE	CODE
Epoxy Putty	1 lb.	49033



FEATURES:

- · Malleable consistency, fill in anywhere
- · Hardens like steel
- · Mixes like clay & Cures in water
- · No measuring or weighing
- · Stays in place, doesn't slump or sag
- Can be sanded, drilled, machined, sawed & painted



Stop Rust Kit

A super starter kit complete with our 3-Step System!

This kit contains everything you need to use our 3-step rust-stopping system. The POR-15® 3-Step System is designed to stop and/or prevent rust on metal surfaces and ensures the best results when applying POR-15® Rust Preventive Coating. The clear-cut process allows for the proper cleaning, prepping, and coating of metal to create a non-porous surface that seals and protects from water, chemicals, and salt, and other corrosive contaminants.

Stop Rust Kit Second Seco	Stop Rust Kit

PRODUCT	COLOR	CODE
Stop Rust Kit	Gloss Black	40909

KIT CONTAINS:

- 8 oz bottle POR-15 Cleaner Degreaser
- 8 oz bottle POR-15 Metal Prep
- 4 oz can POR-15
 Rust Preventive Coating
- Paint Brushes, Latex Gloves
- Detailed Instructions

FEATURES:

- Covers a 6 sq. ft. area with two coats
- Ideal for small projects such as small subframes, axle replacements, control arms, brake shields, and more
- Results in a hammer-tough finish resistant to most acids and alkalis, and repels all fuels and oils

Step-by-Step System Use

Step 1: Remove dirt, grease, wax, and other contaminants with Cleaner Degreaser



Step 2: Neutralize rust, etch metal, and coat with a zinc phosphate surface with Metal Prep



Step 3: After washing and drying, coat with POR-15° Rust Preventive Coating.



Floor Pan & Trunk Restoration Kit



You'll save hundreds of dollars over replacement... and your restoration will be better than replacement because you'll never see rust again, whether it's a daily driver or a show car. You can maintain the integrity of the structure with no ugly welded seams. Our easy step-by-step instructions make it simple to restore floor pans, trunk pans, pickup truck beds, etc. You'll be amazed how complete it is... Everything you need is at your fingertips! Order your kit today!

PRODUCT	CODE
Floor Pan & Trunk Restoration Kit	49519

KIT CONTAINS:

- · Cleaner Degreaser
- PowerMeshReinforcing Fabric
- POR-15® Rust
 Preventive Coating
 (silver & black)
- · Metal Prep
- Solvent
- · Safety Face Mask
- Dispensing Scoop
- · Epoxy Putty
- · Top Coat Chassis Black
- All Four Brushes Needed
- Latex Gloves





Floor pan holes were repaired with POR-15® Rust Preventive Coating, then pits were filled with Epoxy Putty.



The finish repair looks as good as new.



The floor pan was topcoated with *Top Coat Chassis Black*.



Rick Dale and the crew at Rick's Restoration in Las Vegas, Nevada use POR-15® products on many of their projects and POR-15® has been seen on the History Channel's series American Restoration.



Fuel Tank Sealer

POR-15° Fuel Tank Sealer was formulated and developed in our own laboratories due to the demand for a high-tech sealer impervious to all fuels, including the new Stage II fuels which have a higher alcohol content. It has superior strength and fuel resistance, and does not contain Methyl Ethyl Ketone, a highly flammable and deadly carcinogen (cancer-causing).

FEATURES:

- Resistant to all fuels, alcohol, additives & solvents
- Stops rust, corrosion & leaks
- · Seals pinholes & seams
- · Permanently flexible

- Chemically bonds to metal surfaces (even rusted)
- Light gray color for easier viewing inside the tank
- Available in quarts (capable of sealing a 25 gal. tank)

de S
W ROOM
Fuel Tank Sealer
Figs fact Consider & Last
1 State Outcome & Scale State 1 State & Scale State State State See France State State 1887
Administration (SEE
Disk to our sed

PRODUCT	SIZE	CODE
Fuel Tank Sealer	Gal.	49201
Fuel Tank Sealer	Qt.	49204
Fuel Tank Sealer	Pt.	49208
Fuel Tank Sealer	8 oz.	49216

Step-by-Step Fuel Tank Repair



Before: This fuel tank had small pin hole leaks on the end near the seam.



Step 1: Mix 1 quart **Cleaner Degreaser** with one quart of hot water. Use this solution to remove any gum, varnish or sludge from the inside of the tank.



Step 2: Pour in the entire bottle of **Metal Prep** to dissolve rust, coat the tank with zinc phosphate, and etch the metal for better adhesion of the sealer.



Step 3: After the tank is clean, drain the tank and rinse thoroughly with water. Let the tank dry.

When totally dry, pour in the can of Fuel Tank Sealer.



Step 4: After all surfaces have been coated, drain the tank for about an hour to remove excess sealer from the tank.



Step 5: Once repaired, use a fuel preservative & stabilizer to keep your entire fuel system in proper working order and to avoid "stale gas" problems in your future!

Fuel Tank Repair Kit



Fuel Tank Repair is more than just pouring in a quart of sealer and sloshing it around. If gum, varnish, sludge, or fuel is inside the tank, it must be removed first. Our POR-15° Fuel Tank Sealer, like other sealers, will not work in a contaminated tank. Find out what the pros already know... get our Fuel Tank Repair Kit with everything you need to do the job right.

KIT CONTAINS:

- Cleaner Degreaser to remove gum & varnish from tank
- Metal Prep to remove rust & prepare tank for sealer
- Fuel Tank Sealer to permanently seal tank
- Detailed instructions

PRODUCT	CODE
Auto Fuel Tank Repair Kit	49239
Motorcycle Fuel Tank Repair Kit	49229
Motorcycle Fuel Tank Strip & Repair Kit	49219



Motorcycle Fuel Tank Repair Kit

Motorcycle Fuel Tank Repair Kit has been designed for the special needs of bikes and other small metal fuel tanks such as recreation vehicles, snowmobiles, outboard motors, generators, etc.

MOTORCYCLE FUEL TANK KITS CONTAIN:

- All items included in our standard Fuel Tank Repair Kit
- Brush for applying patching system to exterior of tank
- Fabric for sealing holes or reinforcing weak areas
- Proven to effectively seal fiberglass tanks
- · Safe for use with Ethanol fuel

Motorcycle Fuel Tank Strip & Repair Kit

For customers who have had bad results from other inferior fuel tank sealers, we have developed this **Strip and Repair Kit**. It features everything found in our regular **Motorcycle Tank Repair Kit**, plus a quart bottle of our famous **POR-15® Strip** to first remove the inferior coating.





Caliper Painting Kit

Dress Up Your Calipers!

Nothing ruins the appearance of a sharp set of wheels like dirty, corroded calipers lurking from behind. Now, dress up those steel or aluminum calipers with a super-tough durable finish.

> Our new caliper paint is beautiful in appearance, and strong enough to withstand the punishment of road debris and temperature extremes. And it looks terrific on any car or truck. Then, whenever your calipers get covered with dirt and brake dust, clean them with anything you like; the POR-15® Caliper Paint will stand up to just about anything.

KIT CONTAINS:

(1 Qt) Cleaner Degreaser

Painting Kit

- · (4 oz) POR-15® Rust Preventive Paint
- · (8 oz) Metal Prep
- · (8 oz) Caliper Paint
- · 2 Pair Gloves & 2 Foam Brushes
- 1 Roll Masking Tape
- · Directions to do the job right
- · Also available in individual 8 oz. cans

PRODUCT	SIZE	COLOR	CODE	KITS
Caliper Paint	8 oz.	Silver	42506	42509
Caliper Paint	8 oz.	Black	42606	42609
Caliper Paint	8 oz.	Blue	42706	42709
Caliper Paint	8 oz.	Red	42806	42809
Caliper Paint	8 oz.	Yellow	42906	42909



Note: Exact colors may vary, due to the printing process.











Yellow

Engine Painting Kit

This kit has everything you need to custom paint an engine, and includes step-by-step instructions. This kit contains Cleaner Degreaser to get rid of all dirt, grease and oil; Metal Prep to dissolve rust and prep the metal; POR-15® Rust Preventive Coating (black) to prime and rustproof your engine; and POR-15® Engine Enamel in the color of your choice.


PRODUCT (KITS)	SIZE	CODE
Aluminum	Pt.	42009
Austin Healey Green	Pt.	42029
Black	Pt.	42039
Ford Corporate Blue	Pt.	42049
Buick Green	Pt.	42059
Chevrolet Blue	Pt.	42079
Cadillac Dark Blue	Pt.	42089
Classic Ford Red	Pt.	42099
Chrysler Blue	Pt.	42109
Chrysler Turquoise	Pt.	42129
Chevrolet Red	Pt.	42149
Ford Blue	Pt.	42159
Ford Green	Pt.	42169
Chrysler Hemi Orange	Pt.	42189
Hi Po Yellow	Pt.	42199
MG Maroon	Pt.	42209
Olds Gold	Pt.	42229
White	Pt.	42239
Chevy Orange	Pt.	42269
AMC Blue Green	Pt.	42309

Also available in individual cans (see page 12)



- KIT CONTAINS:
- Cleaner Degreaser
- Metal Prep
- POR-15® Rust Preventive Coating (black)
- Solvent

- One Pint POR-15® Engine Enamel (choice of color)
- · Paint Brushes
- · Safety Face Mask
- Latex Surgical Gloves



Accessories PowerMesh Reinforcing Fabric

This is the most effective reinforcing fabric we have ever found for use in repairs. While most fabrics tend to bunch or bulge,

POR-15° PowerMesh lays flat, nicely, while you coat it with POR15° Rust Preventive Coating. It is perfect for repairing holes in steel, fiberglass, wood, or even many plastics. Use it to "bridge" holes in floors, trunk pans, or even quarter panels. It is unbeatable when used with both POR-15° Rust Preventive Coating and our famous

POR-15° Epoxy Putty. In fact, all three of these items are included in our popular

e, n **POR**les in ge" eatable and our famous ncluded in our popular

PRODUCT	SIZE	CODE
PowerMesh Reinforcing Fabric	9 sq. ft.	49533

How do you fill holes without welding?

POR-15® Floor Pan and Trunk Repair Kit (see page 21).



This floorboard has lots of rust-through, but it can be fixed.



First, thoroughly clean the with **Cleaner Degreaser** and rinse off.



Next, prep the surface with **Metal Prep**, rinse off and let dry.



Cut a section of PowerMesh Reinforcing Fabric to fit the area. Be sure to use gloves and goggles for this project!



Coat the floorboard with **POR-15° Rust Preventive Coating** (silver used here) and while wet, place the
PowerMesh Reinforcing Fabric onto it. Add a few coats of **POR-15° Rust Preventive Coating** on top, working it
into the fabric.



Once the coated PowerMesh dries to a rock-hard finish, it can then be coated with **POR-15° Top Coat** .

Accessories

Boss Gloss

Clean & Protect Plastic, Rubber & Vinyl

Treat and preserve plastic, rubber, and vinyl with **POR-15® Boss Gloss.** After we had tried some of the big national brands, we were disappointed with the way they seemed to fade away so quickly, and in no time at all, we had to reapply the stuff. Also, it seemed to attract dust. Our chemists told us that this was partly because the big companies reduce the amount of solids

in their products to save costs, and partly because they use alcohol and other solvents. We

decided to make our own premium quality product, in the style and tradition of all other **POR-15°** Products, with more solids, and NO alcohol or solvents which can remove vital plasticizers, and lower the life expectancy from vinyl and rubber. Our special combination of premium chemicals turned into a terrific product, which we call **POR-15° Boss Gloss**. We were delighted to learn that, as a side effect, **POR-15° Boss Gloss** seems to repel dust too!

Try **POR-15® Boss Gloss** one time on the interior of your car or truck. You will be delighted at the results and pleased by how long it lasts. Your complete satisfaction is guaranteed!

CODE

49263

SIZE

8 oz.

NOTE: Not for use on cycle seats or other surfaces where a slippery surface could be hazardous.

PRODUCT

Boss Gloss

APPLICATIONS:

· Car and Truck Interiors

Con and machiners	
· Dashboards	
· Plastic	
· Rubber	A STATE OF THE STA
· Tires	

Accessories Strip Gel

Aircraft Paint Remover

POR-15° Strip Gel provides a superior aircraft-grade formulation resulting in a highly effective paint remover that quickly lifts the toughest automotive coatings from metal surfaces. Its heavy-bodied consistency provides excellent vertical hold perfect for upright and difficult to reposition projects.

The **Strip Gel** formula is safe for all types of automotive metal.

PRODUCT	SIZE	CODE
Strip Gel	Gal.	40501

FEATURES:

- Fast-acting
- · Excellent vertical hold
- · Safe for all automotive metal
- · Aircraft-grade strength

 Removes multiple layers of automotive and industrial paints or finishes





Scuff Pads

POR-15® Scuff Pads are constructed of tightly-woven coarse fibers with EASY TEAR center perforation. **POR-15® Scuff Pads** will make sanding or scuffing any surface a breeze... EVEN CURED **POR-15® Rust Preventive Coating!** Pack of three 6"x 9" pads.

PRODUCT	PACK	CODE
6"x 9" Scuff Pads	3	49303

Dauber Kit

Kit contains 2 each of 3 different sizes, from 12" up to 24" in length.

PRODUCT	SIZE	CODE
6 Piece Dauber Kit	Misc.	49315



Accessories



Rust Remover Rust Dissolving Wash

POR-15® Rust Remover will safely remove light to even heavy rust completely from metal surfaces and will not affect plastic, PVC, Viton, and most paints. One gallon derusts up to 300 pounds of heavily rusted steel. Rust Remover will not harm unrusted steel and is safe on other metals. Rust Remover has no fumes or bad odors and no VOCs. No sanding or scrubbing required. POR-15 Remover works in as little as 20 minutes for light rust or overnight for heavy rusted metal.

PRODUCT	SIZE	CODE
Rust Remover	Gal.	40701
Rust Remover	Qt.	40704

Solvent

POR-15® Solvent is the only appropriate solvent to use when thinning our coatings for spray painting. We developed it precisely for this purpose, at the request of many of our loyal customers.

PRODUCT	SIZE	CODE
Solvent	Gal.	40401
Solvent	Qt.	40404







Concrete Primer Sealer

2 Part: High Solids Epoxy Coating

POR-15° Concrete Primer Sealer has been developed to function as a primer sealer on properly prepped concrete surfaces and also acts as a foundation for the POR-15° Floor Armor System. POR-15° Concrete Primer Sealer offers durability to any floor coating project with the convenience of a low VOC water-based system. It brings the adhesion performance of the POR-15° Floor Armor system to the next level.

PRODUCT	SIZE	CODE
Concrete Primer Sealer - CLEAR	1 Gal.	47901
Concrete Primer Sealer - CLEAR	5 Gal.	47905


FEATURES

- Improves Adhesion for Topcoating
- Concrete Dustproofer
- · Quick Recoat Time
- · Good Chemical Resistance



Floor was sealed with POR-15°
Concrete Primer Sealer and finished with the POR-15° Floor Armor Kit





Floor Armor Kits

Now, seal your floor permanently, with POR-15° Floor Armor floor painting kits, from the makers of POR-15° Rust Preventive Coating.

No need for acids; no need to flood your floor with water. Just use our easy degreaser on any heavy oil or grease stains, vacuum away any dust or dirt, and paint right over everything with POR-15°

Floor Armor. Get the same fantastic results you have come to expect from world-famous POR-15° Rust Preventive

Coating, with this terrific new product. It is the result of several years of development by our own chemists and product specialists.

Use **POR-15® Floor Armor** in heavy traffic areas. It can take the abuse from forklifts, floor jacks, and constant traffic. You'll wipe up oil and grease stains with a rag, and keep dust down too.

Each gallon covers approximately 400 sq. ft.

BASIC KIT CONTAINS:

Floor Armor
 1/2" Nap Roller

Hardener/Activator • 9" Birdcage Frame

Non-slip Aggregate
 2 - 11/2" Chip Brushes

 8oz Grease and Oil Remover Stir Stick

· Rubber Gloves

• 1/4" Nap Roller









Light Gray Dark Gray

Black, Gray & White Chips

PRODUCT	SIZE	CODE
Dark Gray Concrete Coating	Gal.	47301
Dark Gray Concrete Coating	5 Gal.	47305
Light Gray Concrete Coating	Gal.	47401
Light Gray Concrete Coating	5 Gal.	47405

2 1/2 Car Basic & Deluxe Kits

The Deluxe Kit contains everything in the Basic Kit but also includes **POR-15® Clearcoat** and decorative color chips.

PRODUCT	SIZE	CODE
Basic Kit	Dark Gray	47319
Deluxe Kit	Dark Gray	47369
Basic Kit	Light Gray	47439
Deluxe Kit	Light Gray	47489











STEP 3
Coat



Then Top Coat



Available in multiple colors with liquid and aerosol formulas.

www.PORproducts.com



NEW PRODUCT

Weld-Thru Primer

Weldable Zinc Enriched Primer that adheres to POR-15® Rust Preventive Coating.



NEW PRODUCT

MATTE Clear Coat

Seals in any color or patina for a custom resistance to scuffing and scratching.