

PRODUCT GUIDE





OFFICIAL SPONSOR OF CHAMPIONS





SCCO Kovin Harvick

TABLE OF CONTENTS

CATEGORY PREP & CLEAN Interior & Exterior Prep.....2–3 Spray Gun Cleaners......3 **REPAIR** Adhesives.....4-6 Plastic Repair......7 2K Seam Sealers......8 – 9 1K Seam Sealers......9-10 Sound Dampening......10 – 11 Fillers & Glazes......11 **REFINISH** Clears......14-16 Bumper Coaters......19 0EM Refinishing......20 – 21 Flexible Coatings......24 – 27 Aerospace......27 Marine......28 Custom Finish......29 – 31 Aerosol Filling......32 – 33 Adhesion Promoters......33 General Purpose Aerosols......34 Paint Strippers.....34 UV Cured Clear......34 **PROTECTIVE COATINGS** Undercoatings......35 Chip Guards......38 Coating Equipment......38 **RUST & CORROSION** Rust Prevention......39 Rust Converters & Sealers......39 Rust Coatings......41 Rust Equipment......42

Cabinets, Racks & Counter Displays......43 – 44

ASSORTMENTS

BRAND

BUMPER COATER'	19
BUMPER BITE™	11
CARBO FILL+™	11
CLASSIC COAT™	24, 44
COLOR COAT™	
Aerosols, Bulk & Mixing Systems Aerosol Blanks	
COPPERWELD™	18, 39
CUSTOM FILL™	
DUAL-MIX™	4 – 11, 43
EZ COAT™	20 – 21
FACTORY PACK™	
HOT ROD	
MINI-MAX™	
METAL BITE™	
METALOCK™	18
MULTI-COAT™	
MULTIMAX™	34
PRO-TEX™	36,38
ROCK-IT LINER™	37
RUST-MORT™	39
RUST-SEAL™	39
RUST-SHIELD™	41
SOLARAY [™]	34
SURE-COAT™	25, 27
	22 – 23
	28, 44
	14 – 17
XXX	
Gun Cleaners	33

INTERIOR & EXTERIOR PREP

Proper preparation is the foundation to a quality repair. SEM prep products are specifically designed for each substrate to eliminate contaminants and maximize adhesion of top coats and repair materials.



Scuff & Clean

New Product

An abrasive paste that cleans and prepares panels for repair or refinishina.

- Perfect for bumper covers
- Removes grease, wax and road grime
- · Uniform scratch improves top coat adhesion
- · Rinses clean without residue



38391 | Gallon Pump 38398 | 16 oz. Tube

Suitable substrates:

- Primed or painted surfaces
- Plastic

SEM Soap

A mild abrasive cleaner used as the first step in refinishing flexible substrates.

- · Gravitates into surface and floats contaminants for easy removal
- Mild abrasive helps with adhesion
- · Foaming action removes body contaminants, soil and water soluble contaminants



39362 | 16 oz. Tube

Suitable substrates:

- Vinyl
- Leather
- Plastic

Vinyl Prep

A strong solvent blend critical to refinishing vinyl.

- · Removes soil, wax and grease
- Temporarily softens substrate
- · Promotes adhesion of top coat
- Works quickly



38343 | 16 oz. Aerosol 38344 | Quart

Suitable substrates:

Vinyl

Plastic & Leather Prep

A mild solvent blend to clean plastic and leather prior to refinishing.

- · Removes mold release. fingerprints, grease and oil
- · Promotes adhesion of top coat
- · Will not soften or distort plastic parts
- Easy to use



38351 | Gallon

38353 | 16 oz. Aerosol

38354 | Quart

Suitable substrates:

- Plastic
- Leather
- Carpet
- Velour

SEM Solve

A virgin solvent blend to clean panels prior to refinish or repair.

- · Effectively removes adhesive residue, wax, grease, road tar, oil, silicone, paint overspray and bug remnants
- Easy to use
- Leaves no residue



38371 | Gallon

38373 | 20 oz. Aerosol

38374 | Quart

38375 | 5 Gallon

Suitable substrates:

- Bare metal
- Primed or painted surfaces
- SMC & plastic limit exposure

PREP & CLEAN

Zero VOC Surface Cleaner

VOC Compliant Everywhere

A water based cleaner designed to eliminate surface contaminants prior to refinishing.

- Removes dirt, oil, grease, and silicone
- VOC compliant everywhere
- Eliminates static for better blends
- Non-flammable
- Environmentally friendly



40401 | Gallon 40404 | Quart

Suitable substrates:

- Primed or painted surfaces
- Leather
- Vinyl
- Plastic
- Aluminum
- Bare metal limit exposure

SPRAY GUN CLEANERS

Keeping a tool clean will lengthen its service life, saving money in the long run and eliminating costly rework. SEM cleaners are specially formulated to quickly and easily keep equipment looking and operating as new.



Sprayable Seam Sealer Gun Cleaner

New Product

A blend of solvents to help clean one-component sprayable seam sealer applicators.

- Helps remove sealers from equipment
- Perfect when changing sealer colors
- High strength virgin solvent blend
- Does not contain chlorinated solvents
- · Attached straw for tight areas



29433 | 20 oz. Aerosol

Find out more about our 1K
Sprayable Seam Sealers on page
10 and our 1K Sprayable Seam
Sealer Applicator on page 13.

XXX Gun Cleaner

New Larger Size

A heavy-duty aerosol solvent that quickly cleans spray equipment and aerosol spray tips.

- Removes adhesives, grease, and paint overspray from metal surfaces
- High strength virgin solvent blend
- Does not contain chlorinated solvents
- · Attached straw for tight areas
- Quick action formulation



77743 | 20 oz. Aerosol

XXX Waterborne Gun Cleaner

Easily removes wet waterborne coatings from spray equipment.

- Removes fisheye-causing contaminants
- Safer than solvent cleaners for waterborne shops
- Does not contain chlorinated solvents
- · Convenient aerosol packaging
- Quick action formulation



77753 | 16 oz. Aerosol

SCUFF & CLEAN IS BETTER THAN EVER IMPROVED FORMULA NEW PACKAGING



IMPROVED FORMULA

· BETTER SUDSING

· EASIER RINSING

· NO SETTLING






PARTS & LABOR WARRANTY FOR LIFE SEE DETAILS BELOW



ADHESIVES

Urethanes, acrylics and epoxies for large and small applications.


- Roof Skins
- Door Skins
- Applique Panels
- Quarter Panels



PLASTIC REPAIR

For repairing flexible, semi-rigid & rigid plastics with ease.


- Bumper Covers
- Interior Plastics
- Molded Body Panels



SEALERS

Flexible sealers that restore OEM appearance while preventing corrosion.


- Roof Skins
- Door Skins
- Strut Towers
- Floor Pans
- Fender Wells
- Body Pans / Trunk Areas



SOUND DAMPENING

Reduces noise and vibrations and matches OEM textures.

- Roof Bows
- Hoods
- Door Intrusion Beams
- Rocker Panels / Floor Pans
- Quarter Panels
- Body Pans / Trunk Areas
- Deck Lids / Filler Necks





Learn more about **Dual-Mix** at:

semproducts.com /dual-mix

DUAL-MIX FOREVER WARRANTY

When used according to directions, SEM guarantees to the purchaser that all Dual-Mix products will perform to specifications forever. This warranty covers reasonable costs for labor, loss of use of the vehicle, parts and materials only, and excludes consequential or incidental damages.

ADHESIVES

SEM adhesives are formulated with the technician in mind. With epoxy, acrylic and urethane technologies, no matter the substrate or job size, SEM can cover all your adhesive application needs.



Dual-Mix[™] Multi-Purpose Panel Adhesive

Dual-Mix Forever Warranty

A two-component epoxy for panel bonding any combination of steel, aluminum, SMC and fiberglass.

- · Long working time
- Exceptional impact and peel strength
- Excellent corrosion resistance
- Includes glass beads for consistent bond line thickness
- · Non-sag formula



39747 | 7 oz. 2K Cartridge

Working Time: 90 Min Clamp Time: 4 Hr Cure Time: 24 Hr Heat Cure Time: 1 Hr Resin Base: Epoxy

Dual-Mix Door Skin & SMC Adhesive

Dual-Mix Forever Warranty

A two-component epoxy that quickly bonds any combination of steel, aluminum, fiberglass and SMC.

- Non-sag formula
- Excellent corrosion protection
- · Bonds multiple substrates
- Long shelf life



39337 | 7 oz. 2K Cartridge

Working Time: 30 Min Clamp Time: 2 Hr Cure Time: 24 Hr Heat Cure Time: 1 Hr Resin Base: Epoxy

Dual-Mix Weld-Bond Adhesive

Dual-Mix Forever Warranty

A non-sag, two-component acrylic adhesive system formulated to bond metal surfaces without the use of an external primer.

- Exceptional impact and peel strength
- Includes glass beads for consistent bond line thickness
- · Long working time



39537 | 7 oz. 2K Cartridge

Working Time: 1 Hr Clamp Time: 3 Hr Cure Time: 24 Hr Heat Cure Time: 1 Hr Resin Base: Acrylic



Dual-Mix Forever Warranty

A two-component, acrylic adhesive for quickly bonding metal panels without the use of an external primer.

- Exceptional impact and peel strength
- Non-sag formula
- · Quick cure time
- · Excellent corrosion resistance



39897 | 7 oz. 2K Cartridge

Working Time: 10 Min Clamp Time: 20 Min Cure Time: 30 Min Heat Cure Time: 15 Min Resin Base: Acrylic



Dual-Mix Forever Warranty

A two-component, epoxy-based adhesive for fast bonds on most surfaces.

- Superior adhesion
- Ideal working time
- · Bonds multiple substrates



39907 | 7 oz. 2K Cartridge

Working Time: 3 Min Clamp Time: 7 Min Cure Time: 1 Hr Heat Cure Time: 15 Min Resin Base: Epoxy

Dual-Mix Quick Set 20

Dual-Mix Forever Warranty

A fast, two-component, opaque, urethane adhesive designed for automotive plastic repair and bonding most small plastic, metal and aluminum parts.

- · High strength and sandable
- · Bonds multiple substrates
- Non-sag formula fills gaps
- Colorless
- · Super fast setting



40207 7 oz. 2K Cartridge **40202** 1.7 oz. 2K Cartridge

Working Time: 15 Sec Set Time: 20 Sec Cure Time: 15 Min Resin Base: Urethane

Dual-Mix Quick Set 50

Dual-Mix Forever Warranty

A fast, two-component, black, urethane adhesive designed for automotive plastic repair and bonding most small plastic, metal and aluminum parts.

- High strength and sandable
- Bonds multiple substrates
- · Non-sag formula fills gaps



40507 7 oz. 2K Cartridge **40502** 1.7 oz. 2K Cartridge

Working Time: 45 Sec Set Time: 50 Sec Cure Time: 15 Min Resin Base: Urethane

Dual-Mix Quick Set 180

Dual-Mix Forever Warranty

New Product

A general purpose, black adhesive designed for repairing and bonding most plastic, steel, aluminum, glass, SMC and fiberglass parts.

- · High strength and sandable
- · Bonds multiple substrates
- Non-sag formula fills gaps
- Extended 3 minute working time



41807 | 7 oz. 2K Cartridge

Working Time: 3 Min Set Time: 30 Min Cure Time: 24 Hr Resin Base: Urethane

Mini-Max[™] Clear Fast Set Adhesive

A two-component clear epoxy for an invisible bond on plastic, metal, fiberglass and wood.

- Superior adhesion
- · High strength
- Fast cure
- · Bonds multiple substrates



68442 | 1 oz. 2K Cartridge

Working Time: 2 Min Set Time: 5 Min Cure Time: 1 Hr Resin Base: Epoxy

Mini-Max General Purpose Adhesive

A two-component epoxy based adhesive for fast bonds on most surfaces.

- Superior adhesion
- · Ideal working time
- Bonds multiple substrates
- Isocyanate free



68432 | 1 oz. 2K Cartridge

Working Time: 3 Min Set Time: 7 Min Cure Time: 1 Hr

Heat Cure Time: 15 Min **Resin Base:** Epoxy

Insta-Bond

A general purpose, cyanoacrylate adhesive for bonding trim pieces, emblems, moldings and other small parts. **Insta-Bond Accelerator** is a chemical catalyst for acrylic adhesives.

- Holds torn plastic together during repair
- Provides high strength bonds
- Also for use on vinyl, metal and glass
- Accelerator creates an instant bond



39310 | 3 oz. Kit 39311 | 1 oz. Adhesive 39312 | 2 oz. Accelerator

PLASTIC REPAIR

Increase shop revenue through plastic repair. From bumpers and ground effects to trim components and mirrors, repairing plastic parts is often less expensive than replacement. SEM plastic repair products allow you to fill, repair and contour plastic parts with ease.



Dual-Mix[™] Multi-Plastic Repair Material

Dual-Mix Forever Warranty

A two-component epoxy for fast repairs on virtually all plastic bumper covers.

- No adhesion promoter required
- Exceptional sanding and feather edging
- · Remains flexible
- · Does not shrink or pinhole
- Excellent leveling and sag
 resistance



39847 7 oz. 2K Cartridge

Working Time: 7 Min Sand Time: 15 Min Top Coat Time: 20 Min Cure Time: 1 Hr

Dual-Mix Problem Plastic Repair Material

Dual-Mix Forever Warranty

A two-component, epoxy-based filler for repairing olefin-based plastics and similar rigid and semi-rigid substrates, and SMC.

- No adhesion promoter required
- Superior adhesion
- Excellent sanding and feather edging
- · Does not shrink or pinhole
- Zero VOC



39767 | 7 oz. 2K Cartridge

Working Time: 5 Min Sand Time: 15 Min Top Coat Time: 20 Min Cure Time: 1 Hr

Mini-Max[™] Bumper Repair Material

A two-component, epoxy-based filler for repairing small damage to bumpers and rigid or semi-rigid plastics.

- No adhesion promoter required
- · Superior adhesion
- Excellent sanding and feather edging
- · Does not shrink or pinhole
- Zero VOC



68422 | 1 oz. 2K Cartridge

Working Time: 5 Min Sand Time: 15 Min Top Coat Time: 20 Min Cure Time: 1 Hr

Plastic Repair Reinforcing Tape

A non-backed mesh tape to strengthen repairs on plastic and fiberglass.

- Light adhesive for easy application
- · Ideal width for tears
- Use with all plastic repair materials



70006 | 36' Roll

Plastic Repair Contouring Tape

A film backed reinforcing tape used to strengthen repairs on plastic and fiberglass and for creating or repairing bumper tabs.

- Backing material perfect for tab repair
- Ideal width for holes and larger repairs
- Use with all fillers



70007 | 15' Roll

2K SEAM SEALERS

Proper sealing is the only way to ensure the correct appearance and complete corrosion protection of your repairs. SEM has a comprehensive line of two-component seam sealers to meet your repair requirements.



Dual-Mix[™] Seam Sealer

Dual-Mix Forever Warranty

A two-component, gray, epoxy sealer for sealing interior or exterior seams, joints and voids.

- · Direct to metal
- Paintable immediately*
- Excellent adhesion to bare metal or primed surfaces
- Will not shrink, harden or crack
- Duplicates 0EM sealers



39377 | 7 oz. 2K Cartridge

Working Time: 10 Min Set Time: 15 Min Top Coat Time: 0 Min Cure Time: 1 Hr

* Paintable immediately with most solvent based paint systems.

Dual-Mix Self Leveling Seam Sealer

Dual-Mix Forever Warranty

A two-component, epoxy-based, flowable sealer for use on drip rails, roof and trunk seams.

- Direct to metal on non-flexing roof skins
- Excellent self leveling properties
- · Flows into crevices
- Will not shrink, harden or crack
- · Permanently flexible



39387 | 7 oz. 2K Cartridge

Working Time: 10 Min Set Time: 15 Min Top Coat Time: 15 Min Cure Time: 1 Hr

Dual-Mix High-Build Self Leveling Seam Sealer

Dual-Mix Forever Warranty

A two-component, controlled flow epoxy ideal for use on roof seams, drip rails and trunk seams.

- Direct to metal on non-flexing roof skins
- Will not shrink, harden or crack
- · Permanently flexible



39777 | 7 oz. 2K Cartridge

Working Time: 10 Min Set Time: 15 Min Top Coat Time: 15 Min Cure Time: 1 Hr

Beige Seam Sealer

A two-component epoxy for sealing interior or exterior seams, joints and voids.

- Direct to metal
- Paintable immediately*
- Excellent adhesion to bare metal or primed surfaces
- Will not shrink, harden or crack
- Duplicates OEM sealers





39477 | 7 oz. 2K Cartridge

Working Time: 10 Min Set Time: 15 Min Top Coat Time: 0 Min Cure Time: 1 Hr

* Paintable immediately with most solvent based paint systems.

Heavy Bodied Seam Sealer

A high viscosity, two-component epoxy for use on interior or exterior seams, joints and voids.

- Direct to metal
- Paintable immediately*
- Holds tool marks during working time
- Non-sag formula
- · Excellent adhesion





40377 | Black | 7 oz. 2K Cartridge **40477** | White | 7 oz. 2K Cartridge

Working Time: 10 Min Set Time: 15 Min Top Coat Time: 0 Min Cure Time: 1 Hr

* Paintable immediately with most solvent based paint systems.



SEAM SEALERS

DIRECT-TO-METAL PAINTABLE IMMEDIATELY

ONE-COMPONENT AND TWO-COMPONENT TECHNOLOGY
DUPLICATE OEM TEXTURED SEAMS

PERMANENTLY FLEXIBLE

WILL NOT SHRINK, HARDEN OR CRACK


ADD OR REPLACE OEM SOUND DAMPENING



NOTE: Paintable immediately with most solvent based paint systems.

1K SEAM SEALERS

Utilizing the latest in modified silane polymer technologies, SEM has a complete line of one-component seam sealers to meet your repair requirements.



1K Seam Sealer

A versatile, single component, MSP sealer for sealing interior or exterior seams, joints, and voids.

- Direct to metal
- Paintable immediately*
- Non-sag formula
- Excellent adhesion
- · Remains flexible without shrinking or cracking
- Color matches many **OEM** sealers
- · Optimal working time



10.1 oz. Tube

29362 | White

29372 | Gray

29382 | Beige

29392 | Black

Working Time: 5 - 10 Min Top Coat Time: 0 - 24 Hr

* Paintable immediately with most solvent based paint systems.

1K Sprayable Seam Sealer

A high performance, sprayable MSP seam sealer for duplicating OEM sprayed seams and sound dampening.

- Direct to metal
- Paintable immediately*
- Excellent adhesion
- · Remains flexible without shrinking or cracking
- · Color variety to match **OEM** sealers
- Optimal working time



9.5 oz. Tube

29462 | White

29472 | Gray

29482 | Beige

29492 | Black

Working Time: 5 - 10 Min **Top Coat Time:** 0 - 24 Hr

Paintable immediately with most solvent based paint systems.

SOUND DAMPENING

Sound dampening is the key to reducing noise and vibration when completing repairs on roofs, quarter panels or other vehicle cavities. SEM products are formulated with this solution in mind.



Dual-Mix™ **Panel Vibration** Control Material

Dual-Mix Forever Warranty

A two-component epoxy and urethane blend for reducing noise and vibration on roof, quarter and door skins.

- OEM recommended
- Excellent sag resistance
- · Reduces noise and vibration
- · Protects against corrosion
- Superior flexibility



39977 | 7 oz. 2K Cartridge

Working Time: 1 Hr Set Time: 1 Hr Cure Time: 1 Hr

Dual-Mix Sound & Seal Sprayable Coating

Dual-Mix Forever Warranty

A sprayable epoxy and urethane blend for replacing OEM coatings under rocker panels, in trunks, and on floor sections and frame rails.

- Will not shrink, harden
- · Remains flexible
- · Excellent adhesion to properly prepped surfaces
- · Paintable in 30 min



40977 | 7 oz. 2K Cartridge

Working Time: 10 Min Set Time: 15 Min Top Coat Time: 30 Min Cure Time: 1 Hr

REPAIR

Dual-Mix[™] Flexible Urethane Foam

Dual-Mix Forever Warranty

A two-component, urethane, expanding flexible foam that stops vibration and dampens sound in most voids.

- Excellent sound dampening qualities
- Stops panel flutter
- 10x volume expansion
- Does not require moisture to cure
- Will not distort panels
- Resists shrinking



39357 | 7 oz. 2K Cartridge

Working Time: 15 Sec Set Time: 2 Min Top Coat Time: 15 Min



Dual-Mix Forever Warranty

A two-component, urethane, expanding rigid foam for filling pillars, posts, and box sections.

- Meets UL 94HB flammability tests
- Restores crash parts to 0EM condition
- Superior expansion
- · Reinforces weak panels
- Fast cure



39997 | 7 oz. 2K Cartridge

Working Time: 15 Sec Set Time: 2 Min Top Coat Time: 15 Min

FILLERS & GLAZES

When repairing pinholes, scratches and minor damage, SEM has a range of high quality products to suite your needs. All SEM fillers and glazes come with the same cream hardener reducing likelihood of hardener errors.



Metal Bite[™] Finishing Glaze

A two-component, polyester finishing glaze that quickly fills sand scratches and other minor imperfections.

- Fast drying to a tack free finish
- Seals the repair area and prevents staining
- Exceptional sanding and feather edging
- Outstanding adhesion
- Use on aluminum, steel, SMC and fiberglass



39592 | 24 oz. Tube

39128 | 1 oz. Hardener included

Working Time: 5 Min Sand Time: 15 Min

Bumper Bite™ Flexible Glaze

A two-component flexible polyester filler that quickly fills sand scratches, pinholes, and other minor imperfections on many automotive substrates.

- · Smooth, tack free finish
- · Superior sanding qualities
- · Remains flexible
- · Excellent adhesion
- Dries quickly
- Use on most plastics, aluminum and steel



40482 | 16 oz. Tube

39128 | 1 oz. Hardener included

Working Time: 5 Min Sand Time: 15 Min

Carbo Fill+™

A carbon fiber enriched filler for repairing SMC, fiberglass, PP, steel and aluminum.

- Carbon fiber for added strength
- · Prevents swelling
- · Resists staining and shrinkage
- Eliminates halo effect
- Easy to sand in 10-15 minutes
- · Excellent corrosion control



40542 | 16 oz. Tube

39128 | 1 oz. Hardener included

Working Time: 5 Min Sand Time: 15 Min

REPAIR EQUIPMENT

Applicators, tips and accessories for professional and efficient application of SEM repair materials.



2K REPAIR EQUIPMENT



Universal Manual Applicator

A sturdy applicator for DIYers and pros alike. Dispenses material quickly and consistently and is easy to use because of the ergonomic design. Accepts 2:1 and 1:1, 7 oz. cartridges.

71119 | Applicator

- Ensures proper mix ratio
- Ideal gear ratio for smooth dispersion
- · Release button for precision



Universal Pneumatic Applicator

This applicator is a must-have in body shops. Delivers material quickly and consistently. The lightweight and balanced design means less fatigue for the technician. Accepts 2:1 and 1:1, 7 oz. cartridges.

70039 | Applicator

- · Decreases fatigue
- Increases efficiency
- · Smooth, even dispensing
- · Adjustable flow rate
- Use with optional Quick Spray System

1.7 oz. Manual Applicator

An easy loading applicator for dispensing 1.7 oz. cartridges. Material is dispensed quickly and consistently.

- · Ensures proper mix
- · Ideal for small repairs
- Mechanical advantage for easy dispensing



70019 | Applicator

2K REPAIR ACCESSORIES

Integral Nut Square Static Mixer

Ensures the proper mix ratios for 7 oz. 2K cartridges.

70011 | 6 Pack 70012 | 50 Pack



Versa-Tip

Allows you to duplicate OEM sealers. Cut to dispense product from 0.5"-1.5" wide.

70070 6 Pack



1.7 oz. Turbo Mixer

Ensures the proper mix ratios for 1.7 oz. cartridges.

70020 | 6 Pack 70021 | 50 Pack



Quick Spray System Static Mixer

Ensures the proper mix ratios. Use with the **Quick Spray System** only.

70103 6 Pack



QUICK SPRAY SYSTEM AND ACCESSORIES EQUIPMENT



Quick Spray System

Our Quick Spray System allows users to duplicate OEM seam sealer textures and sound dampening pads while utilizing the 2K technology of SEM Seam Sealers.

- Duplicate OEM sprayed seams
- Easy assembly and clean up
- · For use on trunks, doors, wheel wells and more

NOTF:

70039 Universal Pneumatic Applicator is not included in the 70100 kit. Only use the Quick Spray System with specified SEM products.

70100 | Quick Spray System Starter Kit

Contains:

- 6 Quick Spray System Static Mixers
- 1 Air Baffle
- 1 Adapter Assembly
- 1 Retaining Ring
- 1 Round Air Cap
- 1 Flat Air Cap
- 1 PU Tubing

USE WITH:

- 39377 Dual-Mix™ Seam Sealer
- 39477 Beige Seam Sealer
- 40377 Heavy Bodied Black Seam Sealer
- 40477 Heavy Bodied White Seam Sealer
- 40977 Dual-Mix Sound & Seal Sprayable Coating

Adapter Assembly

An air regulator and hose for the Quick Spray System only.

70104 | Kit



Air Baffle

Atomization tips used with the Quick Spray System only.

70106 | 5 Pack



Round Air Assembly

A round air cap and baffle for use in the Quick Spray System only.

70101 | 1 Assembly



Flat Air Assembly

A flat air cap and baffle for use in the Quick Spray System only.

70102 | 1 Assembly



1K REPAIR EQUIPMENT AND ACCESSORIES



1K Pneumatic **Applicator**

An air-driven applicator gun designed for use with SEM 1K Seam Sealers.

29342 | 1 Applicator

- Reduces hand fatigue
- Adjustable flow rate
- Dispenses product consistently
- Ideal for frequent use or large



1K Sprayable Seam Sealer Applicator

A premium applicator for SEM 1K Sprayable Seam Sealers.



- · Fully adjustable to match most sprayed seams
- · Spray sound dampening pads
- Tight patterns with minimal
- Able to apply material in beads
- · No clean up if used regularly

1K Seam Sealer Nozzle

Designed for use with 1K Seam Sealers.

29352 | 15 Pack



1K Door Skin Nozzle

Designed for use with the 1K Sprayable Seam Sealer Applicator.

29312 | 6 Pack



1K Extrusion Nozzle

Designed for use with the 1K Spravable Seam Sealer Applicator.

29322 | 6 Pack



Sprayable Seam Sealer Gun Cleaner

Cleans the 1K Sprayable Seam Sealer Applicator.

29433 | 20 oz. Aerosol

See page 3 for complete details.



CLEARS

Durability, gloss and optimal performance on every job. Technicians experience easy application and fast dry times without dieback, no matter the VOC level or mix ratio. SEM clears maintain their finish for years.



World Class™ EZ Finish™ Clearcoat

4.4 VOC 4:1 Mix

New Product

A national rule, urethane clearcoat for automotive refinishing in every climate, with any gun, for any painter.

24 Month Warranty

- · Simple, two coat application
- Lays flat
- High gloss & DOI
- · Cures quickly and thoroughly
- · Exceptional sanding and buffing properties
- Excellent UV protection



50501 | Clearcoat | Gallon

50504 | Clearcoat | Quart

50554 | Fast Activator | Quart

50556 | Fast Activator | Half Pint

50564 | Medium Activator | Quart

50566 | Medium Activator | Half Pint 50574 | Slow Activator | Quart

50576 | Slow Activator | Half Pint

World Class Universal Clearcoat

4.2 VOC 4:1 Mix

A high quality, versatile, two-component urethane clearcoat for collision shops.

• 24 Month Warranty

- Two coat application
- · Superior vertical hold
- Exceptional gloss and DOI
- Chemical resistant
- Excellent UV protection
- · 4 activator speeds



50421 | Clearcoat | Gallon

50424 | Clearcoat | Quart

50444 | Air Dry Activator | Quart

50446 | Air Dry Activator | Half Pint

50454 | Fast Activator | Quart

50456 | Fast Activator | Half Pint

50464 | Medium Activator | Quart

50466 | Medium Activator | Half Pint

50474 | Slow Activator | Quart

50476 | Slow Activator | Half Pint

World Class 4.2 VOC Euro Clear

4.2 VOC 2:1 Mix

A high quality, national rule, two-component urethane clearcoat for productive collision shops.

24 Month Warranty

- Excellent flow and leveling
- Exceptional gloss and DOI
- Chemical resistant
- Easy to buff
- Excellent UV protection
- 4 activator speeds



50809 | Clearcoat | 5.0 Liters

50842 | Extra Fast Activator | 2.5 Liters 50852 | Fast Activator | 2.5 Liters

50862 | Medium Activator | 2.5 Liters

50872 | Slow Activator | 2.5 Liters

World Class Production Clearcoat

2.1 VOC 4:1 Mix

A higher solids, 2.1 VOC compliant, two-component clearcoat for collision shops in regulated areas.

• 24 Month Warranty

- Great product at mid-grade price
- Two coat application
- Excellent vertical hold
- Firm after bake
- · Easy to buff
- Excellent UV protection



50211 | Clearcoat | Gallon

50214 | Clearcoat | Quart

50254 | Fast Activator | Quart

50256 | Fast Activator | Half Pint

50264 | Medium Activator | Quart

50266 | Medium Activator | Half Pint

50274 | Slow Activator | Quart

50276 | Slow Activator | Half Pint

World Class 2.1 VOC Euro Clear

2.1 VOC | 2:1 Mix

A higher solids, 2.1 VOC compliant. two-component clearcoat for collision shops in regulated areas.

24 Month Warranty

- Great product at mid-grade price
- **Exceptional appearance**
- Chemical resistant
- Easy to buff
- Excellent UV protection



50709 | Clearcoat | 5.0 Liters

50752 | Fast Activator | 2.5 Liters

50762 | Medium Activator | 2.5 Liters

50772 | Slow Activator | 2.5 Liters

World Class™ Accelerator

New Product

Increases productivity by reducing full cure time of urethane coatings.

- · Reduces cure times
- Cuts handle time by 25%
- Only 0.5 oz. needed per sprayable quart
- For use with all World Class clears



50918 | Pint

World Class Pot Life Extender

New Product

Increases the pot life of urethane coatings in extreme hot and humid conditions.

- Doubles the pot life of urethane coatings
- Excellent for low VOC coatings
- For use with all World Class clears



50928 | Pint

1K HS Clear

An aerosol packaged, acrylic clearcoat, perfect for protecting refinish color on small accessories, door jambs, and new part cut-ins.

- Shop floor compliant (NESHAP)
- Saves mixing time and eliminates waste
- UV resistant good color holdout
- Quick drying for increased production
- Lays flat for professional results



40903 | 20 oz. Aerosol

Find out how to reduce labor up to 85% using the 0EM Refinishing System™ on pages 20 & 21.

1K HS Semi-Gloss Clear

New Product

A mid-gloss, aerosol, acrylic clearcoat for duplicating OEM lower gloss panels.

- Matches underhood gloss
- Quick-dry formula reduces cycle time
- Shop floor compliant (NESHAP)
- Professional spray pattern
- Sprays evenly without streaks
- Saves mixing time and eliminates waste



40913 | 20 oz. Aerosol

Find out how to reduce labor up to 85% using the OEM Refinishing System on pages 20 & 21.

Blenz-In

An aerosol blending solvent designed to melt the edge of two-component urethane refinish top coats into the existing coating. Keeps repairs to a single panel by creating an invisible blend.

- Saves time and money
- · Seamless blends
- · Use with most clearcoats
- 100% UV stable
- Shop floor compliant (NESHAP)



38403 | 20 oz. Aerosol

Hot Rod Clear

2.1 VOC Compliant

Provides the ultimate, custom, low gloss look on any color when painting accent stripes, hoods or entire vehicles.

See page 30 for complete details.



BE THE FIRST TO KNOW

LEARN ABOUT NEW PRODUCTS, PROMOTIONS, TRAINING AND SOPs

SEMPRODUCTS.COM/FIRST

TO LEARN MORE & SIGN UP TODAY



GREAT PRODUCTS GREAT PRICES

SEM World Class™ offers highly efficient and productive primers and clears at an affordable price. Formulated with the latest resin technologies, these primers and clears produce optimal film build from 2 coats.

EZ FINISH" CLEARCOAT

EZ APPLICATION EZ FINISHING





24 MONTH WARRANTY ON CLEARS

PRODUCT & LABOR

Learn more about World Class Primers & Clears at:

semproducts.com/ world-classprimers-clears/



PRIMERS

SEM fast drying primers achieve ideal film build, and apply and sand easily. With a product for every substrate, application, and environment, SEM primers are a great foundation for solvent or waterborne color.



World Class™ **DTM Primer**

2.1 VOC 4:1 Mix

A two-component epoxy that provides bare metal adhesion and filling in one product.

- 2.1 mixed VOC
- Outstanding adhesion on metal, fiberglass, aluminum
- **Excellent corrosion control**
- Builds quickly, sands easily
- · Excellent color holdout



50121 | Primer | Gallon

50124 | Primer | Quart

50134 | Activator | Quart

50136 | Activator | Half Pint

World Class HS **Urethane Primer**

4.2 VOC 4:1 Mix

A premium, high build, twocomponent, urethane primer for use on automotive substrates.

- 4.2 mixed VOC
- Outstanding adhesion
- **Excellent filling properties**
- Sands quickly
- Excellent color holdout



50151 | Primer | Gallon

50154 | Primer | Quart

50444 | Air Dry Activator | Quart

50446 | Air Dry Activator | Half Pint

50454 | Fast Activator | Quart

50456 | Fast Activator | Half Pint

50464 | Medium Activator | Quart

50466 | Medium Activator | Half Pint

50474 | Slow Activator | Quart

50476 | Slow Activator | Half Pint

World Class Acrylic Primer Surfacer

2.1 VOC 1:1 Mix

A compliant coating for quick and easy priming of spots or complete panels.

- 2.1 VOC compliant
- Excellent filling properties
- Sands quickly
- Good color holdout
- Excellent adhesion
- · Available in gallons and quarts



50101 | Gallon 50104 | Quart

World Class Waterborne Flexible Primer

2.1 VOC | Ready to Spray

A water-based flexible surfacer designed for automotive bumper refinishing.

- Superior flexibility and adhesion
- Works as a barrier coat to prevent lifting
- · Excellent filling properties
- · Easy to sand
- · 2.1 VOC compliant and environmentally friendly
- Saves time and labor
- Ready to spray no mixing



50184 | Quart

High Build Primer Surfacer

An elastomeric acrylic coating for priming metal, aluminum, urethane, fiberglass and plastics.

- · Provides superior adhesion
- **Excellent filling properties**
- Works on flexible or rigid substrates
- Easy to sand
- Topcoat with most refinish material
- Shop floor compliant (NESHAP)



20 oz. Aerosol

42003 | Black

42013 | Gray

42023 | Beige

42033 | Rose

42043 | White

Self Etching Primer

VOC Compliant

A first-step coating that provides excellent adhesion to bare substrates.

- Excellent adhesion to steel, aluminum and stainless steel
- · Quick drying
- 3 colors available black, gray and green
- Aerosols are shop floor compliant (NESHAP)
- Bulk products are VOC compliant



39671 | Black | Gallon 39673 | Black | 20 oz. Aerosol 39674 | Black | Quart 39681 | Gray | Gallon 39683 | Gray | 20 oz. Aerosol 39684 | Gray | Quart 39691 | Green | Gallon 39693 | Green | 20 oz. Aerosol

39694 Green Quart

Copperweld™ and Brushable **Copperweld™**

A weld-through primer for superior corrosion protection between welded substrates.

- Copper and zinc-enriched
- · Exceptional conductivity
- . Minimizes the heat zone
- · Reduces distortion and splatter
- Superior corrosion protection
- · Great sprayability and coverage
- · Fast drying
- Aerosol is shop floor compliant (NESHAP)



40783 | 20 oz. Aerosol **40786** | Brushable | 8 oz. can

Flexible Primer Surfacer

A time saving coating that provides superior film build and flexibility when refinishing bumper covers and other plastics.

- · Ready to spray
- Quick drying
- · Easy to sand
- Flexible formulation
- Topcoat with most refinish materials
- 100x more flexible
- Aerosol is shop floor compliant (NESHAP)



39131 | Gallon 39133 | 16 oz. Aerosol 39134 | Quart

Waterborne Flexible Primer Surfacer

2.1 VOC Compliant

A waterborne elastomeric coating for priming urethanes, plastics and other similar substrates.

- · Superior adhesion
- Excellent sealing properties
- VOC compliant and environmentally friendly
- · High solids formula
- Topcoat with most refinish material
- · Sands easily
- · Saves time and labor
- Ready to spray no mixing



39221 | Gallon

Metalock[™] DTM High Build Primer

A two-component, epoxy primer for use on steel, aluminum, SMC and fiberglass.

- Superior adhesion
- Outstanding corrosion protection
- Exceptional filling properties
- · High build formula
- · Sealer mixing option
- · Easy to sand



ML010 | Kit

KIT CONTAINS:

1 - ML011 | Primer | Gallon

1 - MLH14 | Hardener | Quart

SOLD SEPARATELY:

ML014 | Primer | Quart

MLH16 | Hardener | Half Pint

Weld-Thru Primer

A zinc-enriched coating that provides corrosion protection between welded substrates while minimizing distortion and welding splatter.

- Superior corrosion protection between welded parts
- · Excellent adhesion
- · Ideal conductivity
- · Fast drying
- · Applies easily
- Shop floor compliant (NESHAP)



39783 | 16 oz. Aerosol

Guide Coat Black

Aerosol coating that helps detect low spots, sand scratches or other minor imperfections prior to sanding primer.

- · Quick drying
- · Improves production
- Won't clog sandpaper
- · Helps create a perfect repair



38203 | 16 oz. Aerosol

BUMPER COATERS

Increase shop revenue by repairing or restoring bumper covers. With multiple OEM matched colors and formulas to eliminate adhesion promoter or meet VOC restrictions, SEM Bumper Coater $^{\text{TM}}$ is the perfect choice.



Flexible **Bumper Coater**™

An advanced coating formulated to restore the OEM finish on automotive bumpers and plastic cladding.

- No adhesion promoter required
- · No primer required
- Excellent adhesion and durability
- Matches OEM appearance
- · Retains flexibility
- · Great coverage
- · Professional results



39101 | Black | Gallon 39103 | Black | 16 oz. Aerosol 39104 | Black | Quart

Low VOC Flexible **Bumper Coater**™

2.8 VOC Compliant

A black, flexible coating designed for easy reconditioning of most plastic bumpers.

- Superior adhesion
- · OEM matched color and gloss
- Great for flexible or rigid substrates
- · Easy to apply

required

· Excellent hiding



39101-LV | Black | Gallon 39104-LV | Black | Quart

Bumper Coater™ Aerosols

A line of advanced coatings formulated to restore the OEM finish on automotive bumpers and plastic cladding. **Bumper Coater** aerosols are shop floor compliant (NESHAP).

16 oz. Aerosol

39023 | Med. Driftwood Metallic

39073 | Gloss Silver

39083 | Gloss Black

39103 | Flexible Black

39153 | Charcoal

39163 | Med. Smoke

39173 | Dk. Smoke

39183 | Med. Gray 39193 | Dk. Gray

No primer requiredExcellent adhesion and

No adhesion promoter

 Excellent adhesion and durability

- Matches OEM appearance
- · Retains flexibility
- · Great coverage
- · Professional results

16 oz. Aerosol

39253 | Med. Titanium Metallic

39263 Dk. Titanium Metallic

39203 | DK. Htariiuiii Wetaiiit

39273 | Charcoal Metallic

39283 | Lt.Titanium Metallic 39293 | Honda Black

39413 | Med. Platinum Metallic

39423 | Med. Quartz Metallic

39583 Lt. Charcoal







OEM REFINISHING SYSTEM™

REDUCE OF % LABORTO

WHEN REFINISHING SUPPORT PARTS, CUT-INS & JAMBS

TIME SAVINGS GO TO WEBSITE FOR FULL STUDY

RADIATOR SUPPORT EXAMPLE	MOVING CAR	MIXING	APPLICATION	CLEANING GUN
OEM REFINISHING SYSTEM	N/A – No need for booth	N/A – No mixing aerosols	18 M in	N/A – No gun is used
TRADITIONAL METHOD	20 Min	10 Min	2 Hr	6 Min

Ez Coat

Matches OEM e-coat. Available in 7 popular colors: Black, Olive Green, Light Green, Gray, Tan, Olive Brown, White.

Factory Pack

Real automotive basecoat in an aerosol.

- 40 OEM matched colors
- 178 crossovers
- 17 car manufacturers

1K HS Clear or 1K HS Semi-Gloss Clear

Adds gloss and protects the repair. Quick drying for increased production.



SEE THE FULL STUDY



Visit semproducts.com/ors to see a video demo, full time comparison, color samples and booklet with instructions.

OEM REFINISHING SYSTEM™

Reduce cycle time to increase throughput with SEM's OEM Refinishing System. Shop floor compliant (NESHAP) aerosols eliminate mixing paint, waiting on a painter, tying up the paint booth, and cleaning spray guns. Now you can quickly refinish support parts, cut-ins and jambs.



16 oz. Aerosol

Crossover manufacturers include

Ford, Honda, Toyota, GM, BMW,

Chrysler, Hyundai, Kia, Mazda,

Mercedes and Nissan.

Factory Pack™

A unique, time saving aerosol basecoat for jambs, cut-ins, small accessories, and touch ups.

- 178 crossovers from 17 car manufacturers
- Saves hours per job
- Lower material cost
- Reduces booth bottlenecks
- Superior adhesion, flexibility, and hiding
- Shop floor compliant (NESHAP)
- Should be clear coated

19013	Silver Frost
19023	White
19033	Dk. Shadow Grey
19043	Redfire Pearl
19053	Torreador Red Metallic
19063	Pueblo Gold
19073	Vermillion
19083	Dk. Blue Pearl

19133 | Atomic Blue 19143 | Black Pearl 19163 | Alabaster Silver 19173 | Desert Mist Metallic 19183 | Royal Blue Pearl 19193 | Polished Gray Metallic 19203 | Milano Red 19213 | Tango Red 19223 | Taffeta White 19233 | Mocha Metallic

19373 | White 19253 | Millenium Silver 19393 | Victory Red 19263 | Lunar Mist Metallic 19403 Olympic White 19273 | Phantom Gray 19423 | Black 19283 | Super White 19433 | Lt. Tarnished Silver 19293 | Black 19443 | Galaxy Silver Metallic 19303 | Titanium 19453 | Cashmere 19313 | Desert Sand Pearl 19463 | Dk. Blue Metallic

19323 | Natural White 19473 | Pewter Metallic 19353 | Red Pearl 19483 | Gold Mist Metallic 19363 | Magnetic Gray Pearl

Ez Coat™

19103 | Black

19093 | Silver Metallic

A unique, direct to metal coating that matches the color and gloss of factory primer and e-coat colors.

- Duplicates factory appearance
- Direct to steel and aluminum
- Quick curing and hiding
- Available in 7 popular **OEM** colors
- Paintable with most automotive basecoats
- **Excellent corrosion control**
- Shop floor compliant (NESHAP)



62213 | Black **62223** | Olive Green 62233 | Light Green 62243 | Gray 62253 | Tan **62263** | Olive Brown

62273 | White

16 oz. Aerosol

Ez Coat™ 6 Pack Assortment

Contains 1 each of Black, Olive Green, Light Green, Gray, Tan and Olive Brown.

62209 | 6 Pack



Aerosol Clears

Acrylic clearcoats, perfect for protecting refinish color on small accessories, door jambs, and new part cut-ins.

40903 | Gloss | 20 oz. Aerosol 40913 | Semi-Gloss | 20 oz. Aerosol

See page 15 for complete details.



BEFORE





REFINISH Trim Paints

TRIM PAINTS

The standard by which all others are measured, SEM Trim Black professionally restores the OEM look of automotive trim components. With several options to match color and gloss, SEM brings high performance flexibility and color stability to each job.



Trim Black

The Industry Standard

An acrylic coating formulated to match the OEM finish on automotive trim components. For use on plastic, aluminum, steel, stainless steel and chrome.

- Excellent adhesion and durability
- No primer required
- · Matches OEM appearance
- Retains flexibility
- · Great coverage
- · Professional results
- Aerosol is shop floor compliant (NESHAP)



39141 | Gallon 39143 | 20 oz. Aerosol

39144 | Quart

Trim Black Furo Jet

The Next Generation

New Product

An OEM matched coating for automotive trim components. For use on plastic, aluminum, steel, stainless steel and chrome.

- · Deeper jet black
- Restores OEM appearance
- Ideal fan pattern
- · Fast hiding
- Excellent adhesion
- · Professional durability
- No primer necessary
- · Remains flexible
- Aerosols are shop floor compliant (NESHAP)



41013 | Matte | 16 oz. Aerosol 41023 | Satin | 16 oz. Aerosol 41024 | Satin | Quart 41033 | Gloss | 16 oz. Aerosol

Low VOC Trim Black

The Industry Standard

2.8 VOC Compliant

An acrylic coating formulated to match the OEM finish on automotive trim components. For use on plastic, aluminum, steel, stainless steel and chrome.

- Excellent adhesion and durability
- No primer required
- Matches OEM appearance
- · Retains flexibility
- Great coverage
- · Professional results



39141-LV | Gallon 39144-LV | Quart

Trim Black Gloss Black

The Industry Standard

An acrylic coating formulated to match the OEM finish on automotive trim components. For use on plastic, aluminum, steel, stainless steel and chrome.

- Excellent adhesion and durability
- No primer required
- · Matches OEM appearance
- Retains flexibility
- Great coverage
- Professional results
- Aerosol is shop floor compliant (NESHAP)



39063 | 16 oz. Aerosol 39068 | Pint

Trim Black Charcoal Metallic

The Industry Standard

An acrylic coating formulated to match the OEM finish on automotive trim components. For use on plastic, aluminum, steel, stainless steel and chrome.

- Excellent adhesion and durability
- No primer required
- Matches OEM appearance
- · Retains flexibility
- Great coverage
- Professional results
- Shop floor compliant (NESHAP)



39033 | 16 oz. Aerosol



TRIM BLACK THE INDUSTRY STANDARD'S NEXT GENERATION

The next generation of industry leading Trim Black paint is here. Available in aerosols and quarts, Trim Black Euro Jet boasts deeper black color and exceptional coverage. Choose a matte, satin, or gloss finish to professionally match black 0EM trim components. Learn more at **semproducts.com/euro-jet**



FLEXIBLE COATINGS

Refinishing or restoring leather, vinyl and plastic is at the core of SEM. These time-tested permanently flexible and fade resistant coatings continue to lead the automotive, aerospace and marine markets.



Classic Coat™

A line of OEM matched aerosols for renewing or restoring leather and vinyl.

- · Excellent for vinyl and leather
- Superior adhesion, flexibility and hiding
- · Will not crack
- · Quick drying
- · Simple to use
- · Shop floor compliant (NESHAP)



16 oz. Aerosol

35 Colors

Midnight Black
Lt Graphite
Lt Parchment
Med Graphite
Med Parchment
Med Prairie Tan
Med Dk Graphite
Dk Graphite

17103 | Dk Gray 17113 | Graphite 17123 | Lt Gray 17133 | Lt Neutral 17143 | Lt Oak 17163 | Med Dk Pewter 17173 | Med Gray 17183 | Med Neutral 17203 | Shale 17373 | Dk Slate Gray 17383 | Med Lt Stone 17393 | Lt Stone 17403 | Camel 17413 | Lt Cashmere 17423 | Med Cashmere 17433 | Very Dk Cashmere 17503 | Limo Flat Black

Texture Coating

17093 | Black

A unique blend of flexible materials for restoring the textured finish on bumpers, dashes, fiberglass tops and other plastic parts prior to painting.

- Duplicates original textures
- Ready to spray
- Quick drying
- Top coat with most refinish materials
- Aerosol is shop floor compliant (NESHAP)



39853 | 16 oz. Aerosol 39854 | Quart

Super SEM Flex

A paint additive that adds flexibility to urethanes, enamels and lacquers. Perfect for refinishing flexible substrates such as bumpers, vinyl convertible tops and flexible plastics.

- · Use with most paint systems
- · Adds chip resistance
- · Improves gloss
- Ideal with Color Coat[™] for vinyl convertible tops



39728 | Pint

Leather and Vinyl Repair Compound

A filler to repair small cuts and abrasions on flexible interior substrates.

38422 | 3 oz. Tube



Interior Graining Pads

Used to duplicate interior grains when using repair compounds.

70022 | 6 Pack



Flexible Coatings | REFINISH

Sure-Coat™ Mixing System

VOC Compliant

A waterborne coating system that provides outstanding flexibility and adhesion for refinishing most leather, vinyl, and plastic.

- · Superior resins provide great adhesion and durability
- · Retains flexibility, will not soften or crack
- · Maintains texture of substrate
- 1000s of formulas including many OEM matched colors
- · Easy brush or spray application
- · Quick drving



14 Colors

Sure-Coat Mixing System includes 9 toners, 3 clears, a Fleet and Foreign Color Selector, pint labels and **Dauber Bottles.**

16749 | Pint Mixing System

16018 | Black*

16088 | Silver*

16508 | Red Oxide*

16518 | Indo Yellow*

16528 | Quindo Red*

16538 | Thalo Blue*

16548 | White*

16568 | Thalo Green*

16578 | Magenta

16588 | Bright Red

16598 | Yellow Oxide*

16708 | High Gloss Clear* 16718 | Satin Gloss Clear*

16728 | Low Luster Clear*

* Part of the mixing system

Half Gallons

16739 | Half Gallon Mixing System

16015 | Black*

16085 | Silver*

16505 | Red Oxide*

16515 | Indo Yellow*

16525 | Quindo Red*

16535 | Thalo Blue*

16545 | White*

Thalo Green* 16565 L

16585 | Bright Red

16595 | Yellow Oxide*

16705 | High Gloss Clear*

16715 | Satin Gloss Clear*

16725 | Low Luster Clear*

* Part of the mixing system

Sure-Coat Flattener

An additive to decrease the gloss of Sure-Coat colors.

16808 | Pint





Sure-Coat **Cross Linker**

An additive for Sure-Coat that increases its durability from the effects of most cleaning chemicals.

16004 | 4 oz.



Sure-Coat **Dauber Bottle**

A unique applicator with a dense sponge dauber allowing product to be applied directly from bottle.

70400 4 oz. Dauber



Sure-Coat Reducer

A blend of water-based solvents to reduce Sure-Coat when necessary.

16754 | Quart



Poly Brush **Applicator**

A dense, poly foam applicator for use in applying Sure-Coat.

05500 | Brush



Fleet and Foreign Color Selector

320 solid and metallic color deck to help users select the proper color of Sure-Coat and Color Coat™.

70034 | Deck



Flexible Coating Selection

Choosing the proper flexible coating for your substrate is one of the most important parts of repairing your interior and exterior plastic, vinyl, leather, carpet and velour. With the correct coating, you're guaranteed a long lasting, quality finish.

Flexible Coating	Plastic	Vinyl	Leather	Carpet	Velour
Sure-Coat™	√	✓	✓		
Color Coat™	✓	✓		√	✓
Classic Coat™		✓	√		
Marine Vinyl Coat™	✓	✓			
Marine Engine Paint™	√				
Aerospace Sure-Coat™	√	√	√		

BEFORE



Color Coat™

A specialty, elastomeric coating formulated to restore or change the color of most vinyl surfaces, flexible and rigid plastics, carpet and velour. Color Coat is not a dye, but a fade resistant flexible and permanent coating.

- · Refinish vehicle interiors and motorcycle seats
- Enhance automotive carpet and velour
- Superior adhesion, flexibility, and hiding
- Will not crack
- Quick drying and simple to use
- Ready to spray quarts and gallons
- 50 popular aerosol colors
- Mixing system available for endless colors

16	Λ7	Δα	arn	cn	le

50 Colors And 3 Clears

13003	High Gloss Clear
13013	Satin Gloss Clear
13023	Low Luster Clear
15003	Phantom White
15013 L	Landau Black

15023 | Cordovan Brown 15033 | Saddle Tan

15043 | Shadow Blue

15053 | Granite 15063 | Burgundy

15083 | Silver 15093 Lt. Buckskin

15103 | Super White 15113 | Firethorn Red

15123 | Santa Fe 15143 | Sandstone

15163 | Presidio

15173 | Camel

15183 | Warm Grav

15213 | Bluemist

15223 | Castella 15233 | Gloss Black

15243 | Satin Black

15253 | Titanium Metallic

15273 | Napa Red

15283 | Pescadero Sand

15303 | Graphite

15313 | White

15323 | Palomino 15353 Lt. Titanium

15363 | Portola Red

15373 | Flame Red 15393 | Med Gray

15413 | Thomas Bus Gray

15453 Gloss White 15483 | Bluebird Brown

15603 | Sailcloth White

Color Coat Aerosol Blanks

15643 | Pacific Blue

15713 | Ladera

15753 | Lt. Oak

15723 | Monterey

15763 | Storm Gray

Aerosols are shop floor

compliant (NESHAP)

Fill any custom color in an aerosol can.

15593 | Universal Color Coat 61983 | Custom Fill™ Color Coat

See page 32-33 for complete details.

Color Coat Mixing System

The Cone Top Mixing System is for the jobber, shop or mobile technician.

The Quart Mixing System is perfect for the jobber or shop to start mixing Color Coat.

The Gallon Mixing System is for the jobber or shop that mixes Color Coat regularly.

- · 9 toners and 3 clears
- Convenient pourable containers
- Includes intermix labels and sales aids
- Comes with 5 years of color chips and a Fleet and Foreign **Color Selector**
- 1000s of OEM matched formulas

Gallons

27969 | Gallon Mixing System

13001 | High Gloss Clear* 13011 | Satin Gloss Clear* 13021 | Low Luster Clear*

15011 Landau Black* 15081 | Silver*

15091 | Lt. Buckskin 15101 | Super White

15311 | White

15501 | Red Oxide*

15511 | Fast Yellow* 15521 | Fast Red*

15531 | Fast Blue*

15541 | Tinting White* 15561 | Fast Green*

15581 | Bright Red

15591 | Yellow Oxide*

Cone top Quarts

27979 | Cone top Quart Mixing System

13006 | High Gloss Clear* 13016 | Satin Gloss Clear* 13026 | Low Luster Clear* 15016 | Landau Black*

15086 | Silver* 15506 | Red Oxide* 15516 | Fast Yellow*

15526 | Fast Red* 15536 | Fast Blue*

15546 | Tinting White* 15566 | Fast Green*

15576 | Magenta 15586 | Bright Red

15596 | Yellow Oxide*

* Part of the mixing system

Quarts

27989 | Quart Mixing System

13004 | High Gloss Clear* 13014 | Satin Gloss Clear*

13024 | Low Luster Clear* 15014 | Landau Black*

15084 | Silver*

15504 | Red Oxide* 15514 Fast Yellow*


15524 | Fast Red*

15534 | Fast Blue*

15544 | Tinting White* 15564 | Fast Green*

15584 | Bright Red

15594 | Yellow Oxide*



Fleet and Foreign Color Selector

320 solid and metallic color deck to help users select the proper color of Sure-Coat and Color Coat.

70034 | 1 Deck



Color Coat Flattener

An additive that lowers gloss and adds versatility when custom matching **Color Coat** intermix formulas.

13038 | Pint







Tac Free

An aerosol elastomeric satin top coat used to eliminate plasticizer migration on coated surfaces.

- Eliminates tackiness on refinished vinyl
- Wet on wet application saves time
- Protective coating
- Resistant to alcohol based cleaners
- Shop floor compliant (NESHAP)



39643 | 16 oz. Aerosol

AEROSPACE

Restore aircraft interior leather, vinyl and plastics. SEM offers coatings that meet FAA flammability guidelines, allowing you to repair your interior at a fraction of the cost of replacement.



Aerospace Plastic & **Leather Prep**

A mild solvent blend that properly cleans plastic and leather prior to refinishings.

A38353 | 16 oz. Aerosol



- Removes mold release agents, fingerprints and grease
- Promotes adhesion of top coat
- Will not soften or distort plastic parts
- Easy to use

Aerospace SEM Soap

A mild abrasive cleaner used as the first step in refinishing flexible substrates.

A39362 | 16 oz. Tube



- · Gravitates into surface and floats contaminants for easy removal
- Mild abrasive helps with
- Foaming action removes body oils and other water soluble contaminants

Aerospace Sure-Coat™ Mixing System

VOC Compliant

A waterborne coating system than offers excellent flexibility and outstanding adhesion for a variety of aerospace applications.

- · Excellent for leather, vinyl and plastic
- Meets FAR's 23.853, 25.853(a) and (c), 27.853 and 29.853
- · Can be brushed or sprayed
- Mixing system = endless colors
- Superior resins provide great adhesion, flexibility and durability
- Easy to use
- · Quick drying



14 Colors

Aerospace Sure-Coat Mixing System includes 9 toners, 3 clears, and a Aerospace Fleet and Foreign Color Selector, pint labels and Dauber Bottles.

Pints

A16749 | Pint Mixing System

A16018 | Black*

A16088 | Silver*

A16508 | Red Oxide*

A16518 | Indo Yellow*

A16528 | Quindo Red*

A16538 | Thalo Blue*

A16548 | White*

A16568 | Thalo Green* A16578 | Magenta

A16588 | Bright Red

A16598 | Yellow Oxide*

A16708 | High Gloss Clear*

A16718 | Satin Gloss Clear* A16728 | Low Luster Clear*

* Part of the mixing system

Half Gallons

A16739 | Half Gallon Mixing System

A16015 | Black*

A16085 | Silver*

A16505 | Red Oxide*

A16515 | Indo Yellow*

A16525 | Quindo Red*

A16535 | Thalo Blue*

A16545 | White*

A16565 | Thalo Green*

A16585 | Bright Red

A16595 | Yellow Oxide*

A16705 | High Gloss Clear*

A16715 | Satin Gloss Clear*

A16725 | Low Luster Clear*

* Part of the mixing system

Sure-Coat Flattener

An additive to decrease the gloss of Sure-Coat colors.

A16808 | Pint



Sure-Coat Dauber Bottle

A unique applicator with a dense sponge dauber allowing product to be applied directly from bottle.

70400 | 4 oz. Dauber



Poly Brush **Applicator**

A poly foam applicator for use in applying Sure-Coat.

05500 | Brush



Aerospace Color Selector

A color deck to help users select the proper color of Aerospace Sure- Coat.

A70034 | Deck



MARINE

Keep your watercraft looking new, season after season, by restoring the original color to your vinyl seats and plastic components. Save hundreds, if not thousands of dollars, over replacement or recovering.



Engine Paint

An elastomeric coating formulated to restore the color of plastic marine engine cowlings and other painted metal parts on the stern drive and lower unit.

- · Excellent for fiberglass, plastic and precoated metal
- Elastomeric coating will not
- Superior hiding and gloss
- · Smooth, consistent finish
- Matches 0EM finish
- Excellent corrosion control
- Shop floor compliant (NESHAP)



16 oz. Aerosol

M25503 | Evinrude White M25513 | Mercury Phantom Black

Vinyl Coat™

A line of elastomeric aerosol coatings to match, restore or change the color of most marine vinyl and plastic surfaces.

16 oz. Aerosol

25 Colors

M25003 | Ultra Purple M25013 | Ultra Turquoise M25023 | Ranger Orchid Green M25033 | Ultra Blue M25043 | Ranger Admiral Blue M25053 | Ranger Black M25063 | Ranger White M25073 | Ranger Off-White M25083 | Carver White

· Covers stains, fading and prepped mildew Superior adhesion

- Outstanding UV protection
- · Stays flexible, will not crack
- Excellent hiding
- Quick drying
- Shop floor compliant (NESHAP)

M25093 | Sea Ray Mystic White

M25113 | Sea Ray Champagne

M25123 | Carver Dade Bisque

M25143 | Chaparal Beige/Platinum

M25133 | Carver Light Tan

M25153 | Stingray Taupe

M25163 | Ranger Beige

M25173 | Ranger Charcoal

M25103 | Sea Ray Alabaster



M25183 | Ranger Gunmetal Grey M25193 | Light Grey M25203 | Formula Boats Grey M25213 | Carver Coco M25223 | Stingray Yellow M25233 | Formula Boats Red M25243 | Sterling Burgundy



REFINISH & SAVE

Refinishing with Vinyl Coat™



Replacing

the seat

Watch the video to see how this old seat was made new using Vinyl Coat.

SEEING IS BELIEVING



BEFORE







semproducts.com /boatseats





THE INDUSTRY LEADING HOT ROD BLACK MAKES ITS MARK ON NASCAR

Hot Rod Black's matte finish looks incredible on the #51 car driven by Justin Allgaier.

The Right Choice Professional Agriculture Agriculture





CUSTOM FINISH

Whether your style is bright, chromatic colors or laid-back subtle nuances, SEM offers a product that's right for you. From basecoats, candies, fluorescents and effect pigments to the best selling, high quality line of matte finishes in the industry, SEM has your custom paint needs covered.



Hot Rod Black

The industry leading matte, two-component, single stage black for low gloss accent stripes, hoods or entire vehicles.

- Durable and mar resistant
- Excellent resistance to chalking and fading
- · Retains color
- · Smooth and uniform finish
- National Rule VOC compliant



HR010 | Kit

KIT CONTAINS:

- 1 HR014 | Black | Quart
- 1 HRC06 | Catalyst | Half Pint
- 1 HRR06 | Reducer | Half Pint

Low VOC **Hot Rod** Colors

2.8 VOC Compliant

The leading matte finish, two-component, single stage topcoat system for low gloss accent stripes, hoods, or entire vehicles.

- · Durable and mar resistant
- Excellent resistance to chalking and fading
- · Retains color
- Smooth and uniform buff-free finish
- 2.8 VOC compliant
- · Black, silver, smoke & white
- · Intermix for one-off colors



- HR010-LV | Black | Kit
- HR020-LV | Silver | Kit
- HR030-LV | Smoke | Kit
- HR040-LV | White | Kit

KIT CONTAINS:

- 1 LOW VOC COLOR | Quart
- 1 HRC06-LV | Catalyst | Half Pint
- 1 HRR06-LV | Reducer | Half Pint

Hot Rod Clear

2.1 VOC Compliant

Provides the ultimate custom low gloss look on any color when painting accent stripes, hoods or entire vehicles.

- Durable, two-component, matte finish
- Smooth and uniform appearance
- 2.1 VOC compliant
- · Convenient kit format



HRC40 | Kit

KIT CONTAINS:

- 1 HRC04 | Clear | Quart
- 1 HRC06-LV | Catalyst | Half Pint
- 1 HRR06-LV | Reducer | Half Pint

Base Colors

Fast covering clean colors that provide maximum color effect for custom paint jobs.

- · Superior pigmentation
- Ideal atomization
- · Smooth and uniform finish
- Excellent adhesion
- Easy to apply with no recoat issues
- Accepts isocyanate hardener in multi-layer jobs



Quart

02014 | Gold

02024 | Silver

02044 | Bright White

02054 | Jet Black

02064 | Titanium

02094 | Light Gold

02114 | Bright Yellow

02114 | Dright for

02154 | Red

Mix Clear

A one-component colorless coating used as a carrier for custom finish concentrates and effect pigments.

- Excellent color holdout
- Can be used as a mid-coat clear to protect artwork
- · Transparent for vivid colors
- · Minimizes tape tracking
- Fast drying
- Easy to use



MC011 | Gallon

MC014 | Quart

REFINISH

Candy Concentrates

A vibrant line of transparent pigments that add spectacular color to custom paint jobs.

- · Outstanding depth and clarity
- Brilliant, clean colors
- Easy to apply
- Combine with effect pigments for the ultimate custom look
- Compatible with multiple paint technologies



03016 | Winefire | Half Pint

03026 | Sun Dance | Half Pint

03046 | Aqua Blue | Half Pint

03056 | Royal Blue | Half Pint

03086 | Mandarin | Half Pint

03096 | Mint Green | Half Pint

03106 | Passion Purple | Half Pint 03116 | Candy Apple Red | Half Pint

03126 | California Gold | Half Pint

03156 | Magenta | Half Pint

Fluorescent Concentrates

A line of intense, eye-catching colors for creating custom graphics.

- · Extra bright colors
- High visual impact
- Compatible with multiple paint technologies



Pint

03208 | Fireball

03218 | Caliente

03228 | Stop Light

03238 | Maui Blue

03248 | Mean Green

03258 | Hotter Than Pink

03268 | Marvey Magenta

03278 | Wild Chartreuse

03288 | Sun Spot

Flakes

Precision cut resin coated chips for adding intense sparkle to custom paint jobs.

- · Brilliant, jewel-like colors
- Provides extreme effect
- Fade and solvent resistant
- Easy to apply



4 oz.

06014 | Mini Gold

06024 | Mini Silver

06034 | Blue

06044 | Gold

06054 | Red

06064 | Green

06124 | Solar Flare

06144 | Silver Rainbow

06154 | Silver

Lightning FX

Vibrant glass pearl pigments that provide extra brilliance and sparkle to custom paint jobs.

- Add to color or clear
- Highly reflective
- Adds intense sparkle in sunshine



2 oz.

33012 | White Lightning

33022 | Sun Gold

33032 | Hurricane Red

33042 | Ultra Violet

33052 | Thunder Blue

33062 | Electro Green

Paste Pearls

Concentrated effect pigments that add a mild frosted sparkle effect to custom paint jobs.

- · Concentrated for easy mixing
- Highly reflective pigments
- · Easy to create one-off colors



2 oz.

35202 | Platinum

35212 | Red 2-Tone

35222 | Gold 2-Tone

35232 | Blue 2-Tone

35242 | Green 2-Tone

35252 | Violet 2-Tone

35262 | Orange 2-Tone

35272 | Aztec Gold



AEROSOL FILLING

Increase throughput with shop floor compliant aerosols. Fill one custom aerosol or hundreds with our quick, clean and easy to use filling equipment and aerosol blanks. Limitless color combinations for solvent and waterborne paint systems increase your revenue.



Custom Fill™ Aerosol Blank

Can be filled with a variety of automotive paints using a **Custom Fill Machine**. Custom aerosols are compliant for use by professional shops outside of the booth and give DIY customers professional results.

- No clean up
- Comfort tip eases finger fatigue
- Holds pressure throughout the can
- Shop floor compliant (NESHAP)
- · Quick and easy to fill
- · Professional spray pattern



61993 | 16 oz. Aerosol

Custom Fill Waterborne Aerosol Blank

Can be filled with **Sure-Coat™** and automotive waterborne basecoat for convenient high quality repairs.

- · No clean up
- Comfort tip eases finger fatigue
- Holds pressure throughout the can
- Shop floor compliant (NESHAP)
- · Quick and easy to fill
- · Professional spray pattern



62003 | 16 oz. Aerosol

Custom Fill Color Coat™ Aerosol Blank

New Product

Designed to be filled with **Color Coat** using a **Custom Fill** machine.
Custom aerosols provide unlimited colors for refinishing vinyl, plastic, carpet and velour.

- No clean up
- Comfort tip eases finger fatigue
- Holds pressure throughout the can
- Shop floor compliant (NESHAP)
- · Quick and easy to fill
- · Professional spray pattern



61983 | 16 oz. Aerosol

Custom FillPneumatic Machine

A pneumatic filler to make custom aerosols.

- · No clean up
- Fills solvent and waterborne blanks
- · Simple pneumatic operation
- · Quickly fill 1 can or many



70701 | Pneumatic Machine

Width: 5.25" Height: 15"

Accessories:

70704 | Wall Bracket 70706 | Cylinder

Custom Fill Manual Machine

A hand operated aerosol filler to fill custom aerosols.

- No clean up
- Fills solvent and waterborne blanks
- · Simple crank operation
- · Perfect for lower volume filling



70801 | Manual Machine

Width: 5.25"

Height: 22" including handle

Multi-Coat™ Aerosol Blank

An aerosol blank that can be filled with enamels, urethanes, and other paints.

- Create customer specific aerosols
- Use with Omni or Fillon machines
- Ideal for industrial applications
- Economical
- Shop floor compliant (NESHAP)



61003 | 16 oz. Aerosol

Universal **Color Coat**™ Aerosol Blank

A blank aerosol that can be filled with custom **Color Coat™** colors.

- Ideal solvent blend for Color Coat
- Use with Omni or Fillon machines
- · Professional spray pattern
- Shop floor compliant (NESHAP)



15993 | 16 oz. Aerosol

ADHESION PROMOTERS

Eliminate costly rework from paint not sticking to plastic or other difficult substrates. Simple to use, SEM adhesion promoters make painting substrates quick and easy.



XXX Adhesion Promoter

Increases adhesion of top coat materials to surfaces such as plastics, aluminum, steel, glass, chrome, and previously painted surfaces.

- Superior bonding properties
- Topcoat with most refinish products
- Excellent on olefin based plastics
- · Easy to apply
- Aerosols is shop floor compliant (NESHAP)



77721 | Gallon 77723 | 16 oz. Aerosol 77724 | Quart

Plastic Adhesion Promoter

Seals substrates and increases adhesion of top coat materials to a wide variety of raw plastics.

- · Superior bonding properties
- Topcoat with most refinish products
- Excellent on olefin based plastics
- · Easy to apply
- Aerosols is shop floor compliant (NESHAP)



39861 | Gallon 39863 | 20 oz. Aerosol 39864 | Quart

Sand Free Adhesion Promoter

A unique wet-on-wet adhesion promoter for certain plastics.

- Works on ABS, PVC and similar plastics
- Wet-on-wet application melts color into substrate
- Perfect for interior plastic parts
- Easy to use
- Aerosols is shop floor compliant (NESHAP)



38363 | 16 oz. Aerosol 38364 | Quart

GENERAL PURPOSE AEROSOLS



MultiMax™

Durable and economical aerosols for automotive, industrial and household use.

- Outstanding coverage
- · Excellent filling properties
- · Durable, fast drying finish
- · Great adhesion
- · Professional finish
- Shop floor compliant (NESHAP)



16 oz. Aerosol

61013 | Flat Black

61023 | Semi-Gloss Black

61033 | Gloss Black

61043 | Aluminum

61073 | Clear

61083 | Red Oxide Primer

61093 | Gloss White

61103 | Gray Primer

61113 | Chasis Gray

PAINT STRIPPERS

XXX Bumper Stripper

An aerosol material designed to safely remove refinish materials from flexible parts.

- Won't swell or attack substrate
- · Safe for most bumpers
- · Non-sag formula



77713 | 16 oz. Aerosol

Urethane Bumper Stripper

Safely removes refinish materials from flexible parts.

- Won't swell or attack substrate
- Safe for most bumpers including urethane pieces
- Non-sag formula



39913 | 20 oz. Aerosol

UV CURED CLEAR

Solaray[™] UV Clearcoat

A UV cross-linked coating for restoring headlights and refinishing wheels and accessories.

- Long lasting OEM material
- Restores clarity, appearance and light output of headlight lenses
- Cures fast to a hard high gloss finish
- Superior durability
- Shop floor compliant (NESHAP)



21013 | 12 oz. Aerosol

SolarayUV Curing Lamp

A UV lamp used to cure **Solaray UV Clearcoat** quickly and completely.

- Cures Solaray in 2 3 minutes
- · Good curing footprint
- · Hold by hand or bolt to a stand



21109 | Lamp

PROTECTIVE COATINGS

UNDERCOATINGS

SEM undercoatings eliminate the headaches caused by the poor performance of low quality products. Our rubberized products offer industry leading color and texture without bleed through. Our asphalt products give fantastic coverage and dry times at an economic price.



Rubberized Undercoating

A premium, single component, paintable, textured coating for sound dampening, chip resistance, rust protection and corrosion protection.

- · Uniform final appearance
- · Quality asphalt free formula
- Paintable without bleed through
- Sound-dampening properties
- · Includes straw for tight spots
- · Fast-drying
- · Chip and corrosion resistant



39513 | White (EU Only) | 24 oz. Aerosol 39523 | Black | 24 oz. Aerosol

Low VOC Rubberized Undercoating

VOC Compliant

A premium, single component, paintable, textured coating for sound dampening, chip resistance, rust protection and corrosion protection.

- Uniform final appearance
- · Quality asphalt free formula
- Paintable without bleed through
- Sound-dampening properties
- Aerosol includes straw for tight spots
- Fast-drying
- · Chip and corrosion resistant



40523 | Black | 24 oz. Aerosol 40524 | Black | Quart

Apply with the **Economy Coating Gun** or **Premium Undercoat Gun** on page 42.

Undercoating

A non-paintable, asphalt based, aerosol coating for corrosion protection, chip resistance and sound deadening on automotive frames, wheel wells and undercarriage areas.

- Uniform appearance
- Excellent adhesion
- Economical



39463 | Black | 24 oz. Aerosol

Low VOC Undercoating

VOC Compliant

A non-paintable, asphalt based, aerosol coating for corrosion protection, chip resistance and sound deadening on automotive frames, wheel wells and undercarriage areas.

- Uniform appearance
- Excellent adhesion
- Economical



40463 | Black | 24 oz. Aerosol

Apply with the **Economy Coating Gun** or **Premium Undercoat Gun** on page 42.

Dual-Mix[™] Sound & Seal Sprayable Coating

Dual-Mix Forever Warranty

40977 7 oz. 2K Cartridge

See page 10 for complete details.

BE THE FIRST TO KNOW

LEARN ABOUT NEW PRODUCTS, PROMOTIONS, TRAINING AND SOPs

SEMPRODUCTS.COM/FIRST

TO LEARN MORE & SIGN UP TODAY

TRUCKBED LINERS

SEM offers three sprayable liners with various advantages in protection and cosmetic appearance. Available in black and tintable versions, SEM liners will not chalk, fade or peel after proper application.



Pro-Tex[™] Truckbed Liner

Lifetime Warranty

A professional, two-component, urethane liner system that provides a hard, durable finish and superior protection to truckbeds and equipment.

- Tough, durable and non-corrosive
- · Air and water tight
- Tintable version to match OEM colors
- · Outstanding chemical resistance
- · Bonds to most surfaces
- · Resists fading
- · Excellent sound dampening
- · No maintenance

Apply with the **Pro-Tex Truckbed Liner Gun**, or **Premium Undercoat Gun** on page 38.



40640 | Black | Kit

KIT CONTAINS:

1 – 40641 | Black | Gallon

2 - 40674 | Catalyst | Quart

2 - 71004 | Plastic Schutz Bottle

2 — Mixing Cups

SOLD SEPARATELY:

40645 | Black | 5 Gallon 40671 | Catalyst | Gallon

DATELV.

40



40660 | Tintable | Kit

KIT CONTAINS:

1 – 40661 | Tintable | Gallon

2 - 40674 | Catalyst | Quart

2 - 71004 | Plastic Schutz Bottle

2 - Mixing Cups

SOLD SEPARATELY:

40665 | Tintable | 5 Gallon

40671 | Catalyst | Gallon

Pro-Tex™ Extender

An additive to lengthen the pot life of Pro-Tex Truckbed Liner and Pro-Tex 2K Chip Guard kit.

40688 | Pint



Plastic Schutz Bottle

A black HDPE plastic bottle for applying undercoatings and liner systems.

71004 | 1 each

See page 42 for attachable applicator guns.

Professional Truckbed Liner

A two component, urethane, textured coating that provides superior adhesion, film build and flexibility to truckbeds and restoration projects.

Apply with the **Premium Undercoat Gun** on page 42.

- Durable, slip resistant, non-corrosive coating
- Outstanding adhesion and chemical resistance
- · Will not fade
- Bonds to most surfaces
- Tintable version to match OEM colors
- · Sound dampening properties
- · Air and water tight



39630 | Black | Kit 39650 | Tintable | Kit

KIT CONTAINS:


1 – 39631 | Black | Gallon OR

1 – 39651 | Tintable | Gallon AND

1 - 39634 | Catalyst | Quart

2 - 71004 | Plastic Schutz Bottle

1 — Mixing Cup



Truckbed Liners | PROTECTIVE COATINGS

Rock-It Liner[™]

Improved Formula

A high quality, urethane, textured coating that provides a durable protective finish for truckbeds and restoration projects.

- · Durable coating maintains flexibility
- · Excellent sound dampening
- · Easy to apply with standard undercoating gun
- · Outstanding adhesion to most
- Tintable version to match **OEM** colors
- · Chemical resistant
- Fade resistant
- · Free applicator gun included in kits

42250 | Black | Kit

KIT CONTAINS:

- 4 42254 | Black | Quart
- 1 42244 | Catalyst | Quart
- 1 71102 | Rock-It Liner Gun
- 1 Mixing Cup

New Products

SOLD SEPARATELY:

42254 | Black | Quart

42246 | Catalyst | Half Pint





- 4 42264 | Tintable | Quart
- 1 42244 | Catalyst | Quart 1 - 71102 | Rock-It Liner Gun
 - 1 Mixing Cup

KIT CONTAINS:

New Products

SOLD SEPARATELY:

42260 | Tintable | Kit

42264 | Tintable | Quart

42246 | Catalyst | Half Pint





ROCK-IT LINER







STEP 1: CLEAN

Pressure wash and clean with SEM Solve or Zero VOC Surface Cleaner.



STEP 2: PREP

Sand with 180 – 220 grit paper or a bed brush World Class™ DTM Primer.



STEP 3: APPLICATION

Mix and spray 2 - 3 light coats of **Rock-It Liner**. The first coat should not offer full coverage. Full coverage is achieved in subsequent coats.

PROTECTIVE COATINGS

Chip Guards and Coating Equipment

CHIP GUARDS

SEM has the top products for restoring OEM chip resistance and corrosion protection to lower body panels. From a mild texture to the thicker textured coatings on trucks, SEM has a chip guard that is right for the job.



Pro-Tex[™] 2K Chip Guard

A two-component, urethane, textured coating for the ultimate protection of lower panels prone to chipping and corrosion.

- · Tintable and paintable
- Duplicate all OEM textures
- Topcoat with solvent or waterborne systems
- · Best in class protection
- · Excellent gloss retention
- · Tintable to match OEM colors
- · Coarse to heavy texture



40820 | Kit

KIT CONTAINS:

- 1 40824 | Chip Guard | Quart
- 2 40836 | Catalyst | Half Pint

Heavy Texture Chip Guard

An aerosol coating that matches medium to coarse OEM textures and protects lower panels from impact, chipping and abrasion.

- Excellent chip and impact protection
- Duplicate a variety of factory textures
- · Simple aerosol application
- Medium to course texture
- · Paintable in 45 minutes



39793 | Opaque | 20 oz. Aerosol

Satin Black Chip Guard

A durable, acrylic coating that matches light to medium OEM textures and protects lower panels from impact, chipping, and abrasion.

- Black in color
- Excellent chip and impact protection
- Duplicate a variety of factory textures
- Available in aerosol and a ready to spray quart
- Fine to medium texture



39813 | 20 oz. Aerosol 39814 | Quart

Clear Chip Guard

A durable, acrylic coating that matches light to medium OEM textures and protects lower panels from impact, chipping, and abrasion.

- Excellent chip and impact protection
- Duplicate a variety of factory textures
- Available in aerosol and a ready to spray quart
- · Fine to Medium texture



39803 | 20 oz. Aerosol 39804 | Quart

COATING EQUIPMENT

SEM has the top products for restoring OEM appearance and protection.

Pro-Tex[™] Truckbed Liner Gun

A siphon feed spray gun used to apply **Pro-Tex** liners.

- 0.5" pick up tube required for Pro-Tex
- · Adjustable pattern

71001 | Applicator

Premium Undercoat Gun

A siphon feed heavy plastic applicator for spraying bed liners, undercoatings, and rust proofing.

71109 | Applicator

See page 42 for complete details.

Economy Coating Gun

A low cost, cast aluminum siphon gun for spraying bulk undercoatings and chip guards...

71101 | Applicator

See page 42 for complete details.

RUST & CORROSION

RUST PREVENTION

Restoring OEM corrosion protection is critical to a lasting repair. These products provide OEM quality corrosion protection while improving repair process efficiencies.



Rust Preventer

A semi-transparent black internal panel compound to restore OEM corrosion protection on inner body panels.

- Non-hardening
- Sprayable in 360° pattern
- · Superior adhesion
- · Fast drying
- · Excellent corrosion protection



39573 | 24 oz. Aerosol 39574 | Quart

Copperweld[™]

A weld-through primer for superior corrosion protection between welded substrates.

40783 | 20 oz. Aerosol

See page 18 for complete details.

Brushable **Copperweld™**

A brushable weld-through primer for superior corrosion protection between welded substrates.

40786 | 8 oz. can

See page 18 for complete details.

Weld-Thru Primer

A zinc enriched coating that provides corrosion protection between welded substrates while minimizing distortion and welding splatter.

39783 | 16 oz. Aerosol

See page 18 for complete details.

Premium Undercoat Gun and Wand

A siphon feed heavy plastic applicator for spraying bed liners, undercoatings, and rust proofing.

71110 | Applicator and 1 Spray Wand

See page 42 for complete details.

RUST CONVERTERS & SEALERS

Removing rust can damage your substrate. With SEM rust products, stop oxidation and prevent further damage or convert existing rust to a paintable surface. Never let rust stop you from completing your repair.



Rust-Mort[™]

An acidic compound that converts existing rust to an insoluble coating prior to applying body filler, primer or top coat.

- · Modifies and converts rust
- Creates ideal surface for filler or primer
- Easy to use
- · Ready to apply
- · Minimal surface preparation
- · Must be topcoated



69501 | Gallon 69504 | Quart 69508 | Pint

Rust-Seal™


An acidic compound that transforms rust to form a permanent, protective coating.

- · Neutralizes rust
- Leaves a tough protective coating
- May be left exposed or top coated
- · Apply with brush or roller
- Can be sanded before application of top coat
- · Minimal surface preparation



39304 | Quart 39308 | Pint

SEMPRODUCTS.COM EVERYTHING YOU NEED AT YOUR FINGERTIPS



RUST COATINGS

Make difficult refinish projects quick and easy by painting directly to rust and bare steel at the same time. Whether a small job at home or a large piece of industrial equipment, SEM rust products transform old and rusty items.



Rust-Shield™

2.8 VOC Compliant

A direct to metal coating that isolates and controls oxidation, rust, and corrosion on ferrous metals.

- Paint direct to rust and metal
- Restore road equipment, tractors, and snow plows
- Outstanding coverage and adhesion
- · Tough, long lasting finish
- Activator available for extra durability
- · Compliant everywhere



Rust-Shield Hardener and Gloss Enhancer

A catalyst for use with Rust-Shield.

- · Adds gloss and durability
- · Easy 8:1 mixing ratio
- · Eliminates recoat headaches
- · Aids in curing in cooler conditions

38008 | Pint



Gallons

28061	Glass	Rlack

28081 | Safety Orange

28091 | Flat Black

28101 | Black

28111 | White

28121 | Dark Blue

28131 | International Harvester Red

28141 | Cat Yellow

Gallons

28151 | F.M.F. Gray

28161 John Deere Yellow

28181 | John Deere Green

28191 | Aluminum

Quarts

28064 | Gloss Black

28094 | Flat Black

28104 | Black

28114 | White

28134 | International Harvester Red

28154 | F.M.F Gray

28164 John Deere Yellow

28194 | Aluminum

Rust & Corrosion Product Selection

When you're worried about rust, choosing the proper rust product for your substrate and repair needs is the most important part of completing the project. With the correct coating, converter or sealer, you're guaranteed to have a long lasting, rust free finish.

Rust Products Cardin State Card							
Rust Preventer	√		√		√		
Rust-Mort™		√		✓		√	
Rust-Seal™	√	√		✓			√
Rust-Shield™	√		√	✓			
Undercoating	√		√		√		
Rubberized Undercoating	√		√		√		\checkmark

RUST EQUIPMENT

With applicators and accessories for applying rust and corrosion coatings, preventers, and converters, SEM offers the equipment to get the job done right.



Premium Undercoat Gun

A siphon feed heavy plastic applicator for spraying bed liners, undercoatings, and rust proofing.

- · Adjustable pattern
- · Easy to clean
- Great for spraying truckbed liner and undercoating
- 0.5" pick up tube for thicker materials



71109 | Applicator

71110 | Applicator and 1 Spray Wand

71111 | Spray Wand

Spray Wand

A 360° tip that sprays undercoating and rust proofing behind body panels.

- 28" in length to ensure full coverage
- Attaches to the Premium Undercoat Gun

71111 | Spray Wand

Rust Preventer Aero Wand

Aerosol attachment 360° pattern for applying Rust Preventer.

- 24" in length to ensure full coverage
- Use for rust proofing with Rust Preventer

71120 | Aero Wand

Economy Coating Gun

A low cost, cast aluminum siphon gun for spraying bulk undercoatings and Rock-It Liner $^{\mathsf{TM}}$.

- Sprays a variety of products including undercoatings, truckbed liners and chip guards
- · Simple operation
- Low cost



71101 | Applicator

NEARLY 70 YEARS OF EXPERIENCE



70080 SHOP CABINET



Width: 25" | Height: 30" | Depth: 13"

The **70080 Shop Cabinet** is an assortment of 23 of SEM's most popular body shop products.

- Free cabinet (\$300 value)
- 13% discount over buying separately
- Includes 71119 Universal Manual Applicator



SHOP CABINET INCLUDES 1 EACH OF THE FOLLOWING PRODUCTS:

Part No.	Product
38398	Scuff & Clean - NEW!
38353	Plastic & Leather Prep
38373	SEM Solve
39377	Dual-Mix [™] Seam Sealer
39573	Rust Preventer
39592	Metal Bite [™] Finishing Glaze
39683	Self Etching Primer - Gray
39747	Dual-Mix [™] Multi-Purpose Panel Adhesive
39767	Dual-Mix [™] Problem Plastic Repair Material
39777	Dual-Mix [™] High-Build Self Leveling Seam Sealer
39847	Dual-Mix [™] Multi-Plastic Repair Material
39977	Dual-Mix [™] Panel Vibration Control Material

40377	Heavy Bodied Black Seam Sealer
40482	Bumper Bite™ Flexible Glaze
40507	Dual-Mix™ Quick Set 50
40523	Low VOC Rubberized Undercoating
40783	Copperweld™ Primer
42013	High Build Primer Surfacer - Gray
70007	Plastic Repair Contouring Tape
70070	Versa-Tip (6 Pack)
71119	Universal Manual Applicator
71120	Rust Preventer Aero Wand
77723	XXX Adhesion Promoter



Dual-Mix Forever Warranty

When used according to directions, SEM guarantees to the purchaser that all Dual-Mix products will perform to specifications forever. This warranty covers reasonable costs for labor, loss of use of the vehicle, parts and materials only, and excludes consequential or incidental damages.





CABINETS, RACKS & DISPLAYS

SEM assortments offer selections of our most popular products. They act as silent salesmen and promote SEM's commitment to quality while improving store appearance.



SAC Rack Aerosol Center

An assortment of our most popular aerosols used in automotive interior and exterior refinishing.

40022 | 1 Rack



SEM Shop Cabinet

An assortment including 23 of SEM's most popular body shop products.

70080 | 1 Cabinet

See page 43 for complete details.



Marine Rack **Assortment**

An assortment of Marine **Vinyl Coat, Engine Paint** and **SEM** prep products.

M25992 | 1 Rack



Classic Rack Assortment

An assortment of all **Classic Coat™** colors and necessary prep materials.

17002 | 1 Rack



Marine Vinyl Coat™ 12 Can **Assortment**

Assortments of the top 12 selling Marine Vinyl Coat aerosols.

M25889 | 12 Can Assortment



Marine Vinyl Coat™ 30 Can **Assortment**

Assortments of the top selling Marine Vinyl Coat aerosols.

M25779 | 30 Can Assortment





KEEP YOUR EQUIPMENT & AEROSOLS SPRAYING LIKE NEW


XXX Gun Cleaner

XXX Gun Cleaner is a heavy-duty cleaning solvent and paint gun cleaner. It's strong enough to remove grease, adhesive, paint overspray and to clean spray equipment.

LEARN HOW semproducts.com/clean-tips



BE THE FIRST TO KNOW



LEARN ABOUT NEW PRODUCTS, PROMOTIONS, TRAINING AND SOPs



Sign up for the SEM Newsletter Email at:

semproducts.com/first



Learn Automotive Refinishing Techniques from the Pros.

Stay ahead of your competition by learning about the latest automotive refinishing techniques at SEM School. It's available to professionals who use or sell SEM products. Beginner technicians will learn a lot, and experienced technicians will benefit from learning about new products and procedures. Visit our website to learn more and sign up.



semproducts.com/semschool



Made in the USA

Our products are proudly formulated and packaged in Rock Hill, South Carolina. We've been in business for nearly 70 years and we promise to continue to deliver quality American made products.

SEMSchool

LEARN AUTOMOTIVE REPAIR & REFINISHING TECHNIQUES

Stay ahead of the competition by learning about the latest automotive refinishing techniques at **SEM School**. It's available to professionals who use or sell **SEM** products.

GET CERTIFIED BY SEM FOR I-CAR LEARN MORE & SIGN UP AT semproducts.com/sem-school

In-Shop Training

AVAILABLE FOR QUALIFIED COLLISION CENTERS

We'd be happy to meet you at your shop.
We can demo products, train and answer any
questions. These sessions can be tailored to your
needs and anyone is welcome to attend.

CONTACT TECH SUPPORT FOR MORE INFORMATION 800-831-1122





PHONE

TECH SUPPORT 1-800-831-1122

CUSTOMER CARE 1-866-327-7829



EMAIL

TECH SUPPORT tech@semproducts.com

cust_care@ semproducts.com



HOURS

MON – THURS 8 a.m. – 5 p.m. EST

FRI 8 a.m. – 4:30 p.m. E<u>ST</u>



WEBSITE

Visit our website for product info, Technical and Safety Data sheets

semproducts.com



FACEBOOK

Find us on Facebook to get great tips

facebook.com/ semproducts

